



















Sostituisce e annulla i precedenti prezzi in Euro I.V.A. esclusi

Modello	Descrizione	Listino
<b>MIXERS</b>		
<b>TouchMix Series</b>		
 TOUCHMIX 8 (TOUCHMIX-8-EU)	Touch-screen digital audio mixer with 8 mic/line inputs, 2 stereo inputs, 4 effects, 4 aux sends.	<b>999,00</b>
 TOUCHMIX 16 (TOUCHMIX-16-EU)	Touch-screen digital audio mixer with 16 mic/line inputs, 2 stereo inputs, 4 effects, 6 mono aux sends, 2 stereo aux sends.	<b>1.399,00</b>
 TOUCHMIX30 PRO MIXER (TOUCHMIX30-PRO)	TOUCHMIX30 PRO MIXER	<b>1.999,00</b>
<b>TouchMix Series Accessory</b>		
 TM 30 TOTE (TM_30TOTE)	Borsa in cordura per TouchMix 30	<b>109,00</b>
 TM 30 COVER (TM_30 COVER)	TM 30 COVER Copertura leggera x TouchMix 30	<b>35,00</b>
 TS 1 (TS_1)	TS 1 Supporto x tablet x TouchMix 30	<b>49,00</b>
 TMR 2 (TMR_2)	TMR 2 Accessorio x montaggio a rack 19" x TouchMix 30	<b>59,00</b>
 TMR 1 (TMR-1)	TouchMix-16 and TouchMix-8 Rack Mounting Kit/ BLK	<b>99,00</b>











Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi

Modello	Descrizione	Listino
<b>LOUDSPEAKERS</b>		
<b>CP Series</b>		
	CP8 (CP8) 1000W active, portable loudspeaker system; 8-inch woofer; 1.0-inch compression driver; 90 degree conical waveguide; pole socket; selectable user contours. For use as main or stage monitor.	<b>449,00</b>
	CP12 (CP12) 1000W active portable loudspeaker system; 12-inch woofer; 1.0-inch compression driver; 75 degree conical waveguide; pole socket; selectable user contours. For use as main or stage monitor.	<b>579,00</b>
<b>CP Series Accessories</b>		
	CP8 TOTE (CP8 TOTE) Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material.	<b>79,00</b>
	CP8 OUTDOOR COVER (CP8OUTDOORCOVER) Nylon fabric and mesh cover for temporary outdoor use of CP8 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install.	<b>49,00</b>
	CP8YM-BK (CP8YM-BK) Powder coated steel yoke for mounting the CP8 vertically or horizontally to structures.	<b>109,00</b>
	CP12 TOTE (CP12 TOTE)	<b>89,00</b>
	CP12 OUTDOOR COVER (CP12OUTDOORCOVER) Nylon fabric and mesh cover for temporary outdoor use of CP12 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install.	<b>59,00</b>
	CP12YM-BK (CP12YM-BK) Powder coated steel yoke for mounting the CP12 vertically or horizontally to structures.	<b>129,00</b>









Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi

	Modello	Descrizione	Listino
<b>K Series</b>			
	KS 112 EU (KS112)	2000W ultra compact powered subwoofer; long throw 12-inch woofer; 6th order bandpass enclosure, 4 large, swivel caster; M20 threaded pole socket;(SP-36 speaker pole sold separately).	<b>1.149,00</b>
	KS212C-EU (KS212-C)	1000W active, portable subwoofer; dual 12-inch woofers arranged in a cardioid arrangement.	<b>1.599,00</b>
<b>K Series Accessories</b>			
	K8 TOTE (K8_TOTE)	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K8.	<b>79,00</b>
	K8 OUTDOOR COVER (K8OUTDOORCOVER)	Nylon fabric and mesh cover for temporary outdoor use of K8 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install	<b>49,00</b>
	K10 TOTE (K10_TOTE)	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K10	<b>89,00</b>
	K10 OUTDOOR COVER (K10OUTDOORCOVER)	Nylon fabric and mesh cover for temporary outdoor use of K10 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install	<b>59,00</b>
	K12 TOTE (K12_TOTE)	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K12	<b>99,00</b>
	K12 OUTDOOR COVER (K12OUTDOORCOVER)	Nylon fabric and mesh cover for temporary outdoor use of K12 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install	<b>79,00</b>



Sostituisce e annulla i precedenti prezzi in Euro I.V.A. esclusi

Modello	Descrizione	Listino
	intended for permanent outdoor install	
 KSUB COVER (KSUB_COVER)	Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for Ksub with grille guard	<b>119,00</b>
KS112 CVR (KS112-CVR)	Soft cover made with heavy-duty Nylon/Cordura material for KS112	<b>109,00</b>
KS212 CVR (KS212-CVR)	Soft cover made with heavy-duty Nylon/Cordura material for KS212C	<b>119,00</b>
 M10 KIT C (M10_KIT-C)	Kit di golfari in acciaio per sospendere la serie K , KLA12 ed AcousticDesign S8T, S10T and S12.	<b>49,00</b>
 M10 KIT W (M10_KIT-W)	Kit di golfari in acciaio per sospendere la serie KW ed AcousticPerformance.	<b>49,00</b>
<b>K.2 Series</b>		
 K8.2-EU (K82-EU)	2000W active, portable loudspeaker system; 8-inch woofer; 1.75-inch compression driver; 105 degree conical waveguide; Tilt-Direct™ dual angle pole socket, DSP	<b>749,00</b>
 K10.2-EU (K102-EU)	2000W active, portable loudspeaker system; 10-inch woofer; 1.75-inch compression driver; 90 degree conical waveguide; Tilt-Direct™ dual angle pole socket, DSP, for use as main or stage monitor speaker.	<b>799,00</b>
 K12.2-EU (K122-EU)	2000W active portable loudspeaker system; 12-inch woofer; 1.75-inch compression driver; 75 degree conical waveguide; Tilt-Direct™ dual angle pole socket; DSP; for use as main or stage monitor speaker.	<b>899,00</b>



Sostituisce e annulla i precedenti prezzi in Euro I.V.A. esclusi

Modello	Descrizione	Listino
---------	-------------	---------

### K.2 Series Accessories



K8.2 YOKE  
(K82YOKE)

Powder coated steel yoke for mounting the K8.2 vertically or Horizontally to structures.

**129,00**



K10.2 YOKE  
(K102YOKE)

Powder coated steel yoke for mounting the K10.2 vertically or Horizontally to structures.

**139,00**



K12.2 YOKE  
(K122YOKE)

Powder coated steel yoke for mounting the K12.2 vertically or Horizontally to structures.

**159,00**

### KW Series



KW152  
(KW152-BK-CM)

15" two-way, 1000W, 60° axisymmetric, active loudspeaker.

**1.299,00**



KW153  
(KW153-BK-CM)

15" three-way, 1000W, 60° axisymmetric, active loudspeaker with 6.5" horn-loaded midrange.

**1.599,00**









KW181  
(KW181-BK-CM)

18" ported, 1000W subwoofer with integrated casters.



**1.549,00**

Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi






Modello	Descrizione	Listino	
<b>KW Series Accessories</b>			
	KW122 Kit (KW-SUS-KIT-122)	Il QSC M10 in acciaio golfare Kit contiene 3 golfari adatti per sospendere QSC KW122 diffusori.	<b>79,00</b>
	KW152 COVER (KW152_COVER)	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW152.	<b>109,00</b>
	KW153 COVER (KW153_COVER)	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW153.	<b>119,00</b>
	KW181 COVER (KW181_COVER)	Soft cover made with heavy-duty Nylon/Cordura® material for KW181 with grille guard.	<b>129,00</b>
<b>KLA Series</b>			
	KLA12 BK (KLA12-BK)	500W x 500W, two-way, active, line-array loudspeaker; 12-inch woofer, 1.75-inch compression driver; 90° x 18° nominal coverage angle; self contained rigging system, available in black	<b>2.499,00</b>
	KLA12 WH (KLA12-WH)	500W x 500W, two-way, active, line-array loudspeaker; 12-inch woofer, 1.75-inch compression driver; 90° x 18° nominal coverage angle; self contained rigging system, available in white.	<b>2.499,00</b>



Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi








	Modello	Descrizione	Listino
	KLA181 BK (KLA181-BK)	18" ported, 1000W subwoofer with integrated flying hardware; available in black	<b>2.599,00</b>
	KLA181 WH (KLA181-WH)	18" ported, 1000W subwoofer with integrated flying hardware; available in white.	<b>2.599,00</b>

#### KLA Series Accessories

	KLA AF12 BK (KLA-AF12-BK)	Aluminum array frame for KLA Series enclosures; available in black	<b>999,00</b>
	KLA AF12 WH (KLA-AF12-WH)	Aluminum array frame for KLA Series enclosures; available in white.	<b>999,00</b>
	KLA12 TOTE (KLA12-TOTE)	Soft padded tote for the KLA12 Loudspeaker made with heavy-duty Nylon/Cordura® material.	<b>119,00</b>
	KLA181 COVER (KLA181-COVER)	Soft padded cover for the KLA181 Subwoofer; constructed from heavy-duty Nylon/Cordura® material	<b>149,00</b>
	KLA181 M10 KIT (KLA181_M10_KIT)	M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudspeakers.	<b>69,00</b>








Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi

Modello	Descrizione	Listino
 E110 (E110-BK)	10" 2-way, externally powered, live sound-reinforcement loudspeaker. Available in black only.	<b>499,00</b>
 E112 (E112-BK)	12" 2-way, externally powered, live sound-reinforcement loudspeaker. Available in black only.	<b>599,00</b>
 E115 (E115-BK)	15" 2-way, externally powered, live sound-reinforcement loudspeaker. Available in black only.	<b>749,00</b>
 E18SW (E18SW-BK)	18" externally powered, live sound-reinforcement subwoofer. Available in black only.	<b>949,00</b>
 E118SW (E118SW-BK)	18" externally powered, live sound-reinforcement subwoofer. Available in black only.	<b>949,00</b>
 E215 BK (E215-BK)	2x15" 2-way, externally powered, live sound-reinforcement loudspeaker. Available in black only. DISPONIBILE DA SETTEMBRE	<b>1.349,00</b>
 E218SW BK (E218SW-BK)	2x18" externally powered, live sound-reinforcement subwoofer. Available in black only. DISPONIBILE DA SETTEMBRE	<b>1.599,00</b>





Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi

	Modello	Descrizione	Listino
<b>E Series Accessories</b>			
	E10-CVR (E10-CVR)	Soft Cover per E10	<b>79,00</b>
	E12-CVR (E12-CVR)	Soft Cover per E12	<b>89,00</b>
	E15-CVR (E15-CVR)	Soft Cover per E15	<b>99,00</b>
	E118-CVR (E118-CVR)	Soft Cover per E118SW	<b>129,00</b>
	E18SW CVR (E18SW-CVR)	Soft, padded cover for E18SW.	<b>119,00</b>
	E215-CVR (E215-CVR)	Soft Cover per E215SW	<b>119,00</b>
	E218 CVR (E218-CVR)	Soft Cover per E218SW	<b>159,00</b>
	E110 YOKE MOUNT (E110YM-BK)	Staffa ad 'U' in metallo per E110	<b>49,00</b>
	E12 YOKE MOUNT (E12YM-BK)	Staffa ad 'U' in metallo per E12	<b>149,00</b>
	E15 YOKE MOUNT (E15YM-BK)	Staffa ad 'U' in metallo per E15	<b>169,00</b>



Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi







Modello	Descrizione	Listino
---------	-------------	---------

## Wideline Series




### WideLine - 8

	GP212 sw BK (GP212-SW-BK)	Ultra compact, dual 12" (300 mm) bandpass subwoofer; acoustically identical to WL212-sw; 6 x M10 suspension points; M20 screw-in pole socket; available in black	<b>2.600,00</b>
	GP212 sw WH (GP212-SW-WH)	Ultra compact, dual 12" (300 mm) bandpass subwoofer; acoustically identical to WL212-sw; 6 x M10 suspension points; M20 screw-in pole socket; available in white	<b>2.600,00</b>
	WL212 sw BK (WL212-SW-BK)	Ultra compact dual 12" (300 mm) bandpass subwoofer designed specifically for use with the WL3082; can be ground-stacked or suspended and arrayed with WL3082; integral array-building hardware; available in black	<b>3.600,00</b>
	WL212 sw WH (WL212-SW-WH)	Ultra compact dual 12" (300 mm) bandpass subwoofer designed specifically for use with the WL3082; can be ground-stacked or suspended and arrayed with WL3082; integral array-building hardware; available in white	<b>3.600,00</b>
	WL3082 BK (WL3082-BK)	Ultra compact high performance line array module; dual neodymium 8" (200 mm) cone LF; 3" (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage, integral array-building hardware; available in black	<b>3.800,00</b>
	WL3082 WH (WL3082-WH)	Ultra compact high performance line array module; dual neodymium 8" (200 mm) cone LF; 3" (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage, integral array-building hardware; available in white	<b>3.800,00</b>




Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi

Modello	Descrizione	Listino
<b>WideLine - 8 Accessories</b>		
 <p>AF3082 L BK (AF3082-L-BK)</p>	<p>Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black</p>	<b>2.100,00</b>
 <p>AF3082 L WH (AF3082-L-WH)</p>	<p>Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in white.</p>	<b>2.100,00</b>
 <p>AF3082 S BK (AF3082-S-BK)</p>	<p>Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black</p>	<b>1.250,00</b>
 <p>AF3082 S WH (AF3082-S-WH)</p>	<p>Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in white.</p>	<b>1.250,00</b>
<p>CVR3082 4 (CVR3082-4)</p>	<p>Cover for four (4) WL-3082. For use with CP3082-CT caster pallet</p>	<b>150,00</b>
 <p>CP3082 CT (CP3082-CT)</p>	<p>Caster pallet for transport of 4 WL3082 (cart only)</p>	<b>600,00</b>
 <p>EB3082 BK (EB3082-BK)</p>	<p>Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black</p>	<b>1.200,00</b>






Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi

Modello	Descrizione	Listino
 EB3082 WH (EB3082-WH)	Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in white.	<b>1.200,00</b>
 PB3082 BK (PB3082-BK)	Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black	<b>700,00</b>
 PB3082 WH (PB3082-WH)	Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in white.	<b>700,00</b>



#### WideLine - 10

 GP118 sw BK (GP118-SW-BK)	18" portable subwoofer with the same acoustical performance as the WL118-sw regular enclosure with the 16 x M10 suspension points; available in black	<b>2.200,00</b>
 GP118 sw WH (GP118-SW-WH)	18" portable subwoofer with the same acoustical performance as the WL118-sw regular enclosure with the 16 x M10 suspension points; available in white.	<b>2.200,00</b>
 GP218 sw BK (GP218-SW-BK)	Dual 18" subwoofer; same acoustical performance as the WL218-sw, rectangular enclosure with 16 x M10 suspension points; available in black	<b>3.600,00</b>

Sostituisce e annulla i precedenti prezzi in Euro I.V.A. esclusi





Modello	Descrizione	Listino
 GP218 sw WH (GP218-SW-WH)	Dual 18" subwoofer; same acoustical performance as the WL218-sw, rectangular enclosure with 16 x M10 suspension points; available in white.	<b>3.600,00</b>
 WL2102 W BK (WL2102-W-BK)	Wide angle, line array speaker, dual 10" drivers, 140° x 10°, plywood enclosure, available in black	<b>5.000,00</b>
 WL2102 w WH (WL2102-W-WH)	Wide angle, line array speaker, dual 10" drivers, 140° x 10°, plywood enclosure, available in white.	<b>5.000,00</b>
 WL218 sw BK (WL218-SW-BK)	Dual 18" portable subwoofer, can be ground stacked or suspended in arrays using integral array construction suspension hardware, includes transportation dolly, available in black	<b>5.500,00</b>
 WL218 sw WH (WL218-SW-WH)	Dual 18" portable subwoofer, can be ground stacked or suspended in arrays using integral array construction suspension hardware, includes transportation dolly, available in white.	<b>5.500,00</b>

### WideLine - 10 Accessories

 AF 2102 LA BK (AF2102-LA-BK)	New Large Aluminum Array Frame for the Wideline 10 (WL2102) available in Black	<b>2.400,00</b>
 AF 2102 LA WH (AF2102-LA-WH)	New Large Aluminum Array Frame for the Wideline 10 (WL2102) available in White.	<b>2.400,00</b>





Sostituisce e annulla i precedenti prezzi in Euro I.V.A. esclusi

Modello	Descrizione	Listino
 AF218 sw BK (AF218-SW-BK)	Aluminum array frame for stacking four (4) or flying eight (8) WL218-sw subwoofers	<b>3.000,00</b>
 AF218 sw WH (AF218-SW-WH)	Aluminum array frame for stacking four (4) or flying eight (8) WL218-sw subwoofers	<b>3.000,00</b>
 CVR218 (CVR218)	Padded transport cover for WL218-sw dual 18" subwoofer. Constructed of 1000 denier cordura nylon with heavy padding. Cutouts allow access to all handles, belly straps secure cover to enclosure when attached to transport dolly	<b>250,00</b>
 CVRGP218 (CVRGP218)	Soft Cover for a single GP218 Sub-woofer.	<b>250,00</b>







## POWER AMPLIFIERS

### GXD Series

 GXD4 (GXD4-EU)	Light weight, class-D professional power amplifier with DSP, 2 channels, 400 watts/ch at 8?, 600 watts/ch at 4?, total power capacity of 1600 watts.	<b>549,00</b>
 GXD8 (GXD8-EU)	Light weight, class-D professional power amplifier with DSP, 2 channels, 800 watts/ch at 8?, 1200 watts/ch at 4?, total power capacity of 4500 watts.	<b>899,00</b>



Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi





Modello	Descrizione	Listino
<b>GX Series</b>		
 GX3 (GX3-230)	2 channels, 300 watts/ch at 8?, 425 watts/ch at 4?	<b>339,00</b>
 GX5 (GX5-230)	2 channels, 500 watts/ch at 8?, 700 watts/ch at 4?	<b>449,00</b>
 GX7 (GX7-230)	Light weight, professional power amplifier, 2 channels, 725 watts/ch at 8?, 1000 watts/ch at 4?.	<b>679,00</b>
<b>PLD Series</b>		
 PLD4.2 EU (PLD4-2-EU)	2000W Amplifier using FAST channel combining technology. 4 channels, 500 watts/ch at 8?, 700 watts/ch at 4?, 600 watts/ch at 2?.	<b>1.349,00</b>
 PLD4.3 EU (PLD4-3-EU)	4000W Amplifier using FAST channel combining technology. 4 channels, 900 watts/ch at 8?, 1400 watts/ch at 4?, 1200 watts/ch at 2?.	<b>2.099,00</b>
 PLD4.5 EU (PLD4-5-EU)	8000W Amplifier using FAST channel combining technology. 4 channels, 1200 watts/ch at 8?, 2000 watts/ch at 4?, 1600 watts/ch at 2?.	<b>2.699,00</b>




Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi

Modello	Descrizione	Listino
---------	-------------	---------

### PLX2 Series

 PLX1802 (PLX1802-230)	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user configurable signal processing, 330 watts/ch at 8?, 575 watts/ch at 4?, 900 watts/ch at 2?	<b>949,00</b>
 PLX2502 (PLX2502-230)	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 450 watts/ch at 8?, 750 watts/ch at 4?, 1250 watts/ch at 2?	<b>999,00</b>
 PLX3102 (PLX3102-230)	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 600 watts/ch at 8?, 1000 watts/ch at 4?, 1550 watts/ch at 2?	<b>1.199,00</b>
 PLX3602 (PLX3602-230)	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 775 watts/ch at 8?, 1250 watts/ch at 4?, 1800 watts/ch at 2?	<b>1.549,00</b>

### Powerlight 3 Series

 PL325 (PL325-230)	2 channels, 475 watts/ch at 8?, 825 watts/ch at 4?, 1250 watts/ch at 2?	<b>1.499,00</b>
--	---	-----------------





Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi

Modello	Descrizione	Listino
 PL340 (PL340-230)	2 channels, 800 watts/ch at 8?, 1200 watts/ch at 4?, 2000 watts/ch at 2?	<b>1.949,00</b>
 PL380 (PL380-230)	2 channels, 1500 watts/ch at 8?, 2600 watts/ch at 4?, 4000 watts/ch at 2?	<b>2.899,00</b>
<b>RMX Series</b>		
 RMX850a (RMX850A-230)	2 channels, 200 watts/ch at 8?, 300 watts/ch at 4?, 430 watts/ch at 2?	<b>429,00</b>
 RMX1450a (RMX1450A-230)	2 channels, 280 watts/ch at 8?, 450 watts/ch at 4?, 700 watts/ch at 2?	<b>549,00</b>
 RMX2450a (RMX2450A-230)	2 channels, 500 watts/ch at 8?, 750 watts/ch at 4?, 1200 watts/ch at 2?	<b>799,00</b>
 RMX4050a (RMX4050A-230)	2 channels, 850 watts/ch at 8?, 1400 watts/ch at 4?, 2000 watts/ch at 2?, 4000 watts/ch at 4? (bridged)	<b>1.499,00</b>
 RMX5050a (RMX5050A-230)	2 channels, 1100 watts/ch at 8?, 1800 watts/ch at 4?, 2500 watts/ch at 2?, 5000 watts/ch at 4? (bridged)	<b>1.899,00</b>



Sostituisce e annulla i precedenti  
prezzi in Euro I.V.A. esclusi

Modello	Descrizione	Listino
---------	-------------	---------

### Amplifier Accessories



RR EAR KIT7  
(RR-EAR-KIT7)

7" Rear support rack ear kit.

**49,00**



RR EAR KIT3  
(RR-EAR-KIT3)

3" Rear support rack ear kit.

**37,00**