



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
---------	-------------	--------------------

ELITE AV RECEIVERS



PIONEER ELITE AV
RECEIVERS VSXLX305 Black
(VSXLX305BMMP)

9.2-ch Network AV Receiver AMPLIFICATION Channels: 9 Amplification Type: Direct Energy 185 W/ch (6 ohms, 1 kHz, THD 10 %, 1ch Driven) 170 W/ch (8 ohms, 1 kHz, THD 1 %, 1ch Driven IEC) AUDIO FEATURES IMAX Enhanced Dolby Atmos®, Dolby Surround Upmixer DTS:X®, DTS Neural:X® Upmixer Reflex Optimizer Dolby Atmos Height Virtualizer Dolby® TrueHD, Dolby Digital Plus DTS-HD Master Audio, DTS-HD High Resolution Audio, DTS 96/24, DTS-ES, DTS Express DSD Disc (SACD) Playback via HDMI (2.8 MHz/2 ch, 5.1 ch) Digital Quad-Core 32-bit DSP (Cirrus Logic) + Aureus™ floating-point DSP (TI) 192 kHz/24-bit D/A Conversion for Hi-Res Audio Enhanced Audio Return Channel (eARC) on HDMI Out (Main) Advanced MCACC Auto Room Tuning Auto Phase Control Plus Subwoofer EQ Multi-point Standing Wave Control Dirac Live® Room Correction for the full frequency range, 20Hz-20kHz Advanced Sound Retriever (2ch) Advanced Surround Modes Classical, Unplugged, Entertainment Show, Drama, Advanced Game, Action, Rock/Pop, Sports, Ex

1.311,00

Pioneer

Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
---------	-------------	--------------------

AV RECEIVERS



PIONEER AV RECEIVERS
VSX935 Black
(VSX935BMMP)
4573211159196

7.2-ch Network AV Receiver Amplification Type: Direct Energy160 W/ch (6 ohms, 1 kHz, THD 10 %, 1ch Driven)135 W/ch (6 ohms, 1 kHz, THD 1.0 %, 1ch Driven)AUDIO FEATURES Dolby Atmos®, Dolby Surround UpmixerDTS:X®, DTS Neural:X® UpmixerReflex OptimizerDolby Atmos Height VirtualizerDTS Virtual:XDolby® TrueHD, Dolby Digital PlusDTS-HD Master Audio, DTS-HD High Resolution Audio, DTS 96/24, DTS-ES, DTS-HD ExpressDSD Disc (SACD) Playback via HDMI (2.8 MHz/2ch, 5.1ch)Digital Quad-Core 32-bit DSP (Cirrus Logic)192 kHz/24-bit D/A Conversion for Hi-Res AudioEnhanced Audio Return Channel (eARC) on HDMI OUT (MAIN)MCACC Auto Room TuningPhase ControlSubwoofer EQAdvanced Sound Retriever (2ch)Advanced Surround ModesClassical, Unplugged, Entertainment Show, Drama, Advanced Game, Action, Rock/Pop, Sports, Extended Stereo, Mono Music, Front Stage Surround AdvanceVIDEO FEATURES Support HDMI 2.1 (HDMI IN 1-3) with 8K, VRR (Variable Refresh Rate), ALLM (Auto Low Latency Mode), QFT (Quick Frame transport),

942,00



PIONEER AV RECEIVERS
VSX935 Silver
(VSX935SMMP)

7.2-ch Network AV Receiver Amplification Type: Direct Energy160 W/ch (6 ohms, 1 kHz, THD 10 %, 1ch Driven)135 W/ch (6 ohms, 1 kHz, THD 1.0 %, 1ch Driven)AUDIO FEATURES Dolby Atmos®, Dolby Surround UpmixerDTS:X®, DTS Neural:X® UpmixerReflex OptimizerDolby Atmos Height VirtualizerDTS Virtual:XDolby® TrueHD, Dolby Digital PlusDTS-HD Master Audio, DTS-HD High Resolution Audio, DTS 96/24, DTS-ES, DTS-HD ExpressDSD Disc (SACD) Playback via HDMI (2.8 MHz/2ch, 5.1ch)Digital Quad-Core 32-bit DSP (Cirrus Logic)192 kHz/24-bit D/A Conversion for Hi-Res AudioEnhanced Audio Return Channel (eARC) on HDMI OUT (MAIN)MCACC Auto Room TuningPhase ControlSubwoofer EQAdvanced Sound Retriever (2ch)Advanced Surround ModesClassical, Unplugged, Entertainment Show, Drama, Advanced Game, Action, Rock/Pop, Sports, Extended Stereo, Mono Music, Front Stage Surround AdvanceVIDEO FEATURES Support HDMI 2.1 (HDMI IN 1-3) with 8K, VRR (Variable Refresh Rate), ALLM (Auto Low Latency Mode), QFT (Quick Frame transport), DSC (

942,00



PIONEER AV RECEIVERS
VSX934 Black
(VSX934BMMP)
4573211154610



7.2-ch Network AV Receiver Channels: 7 Amplification Type: Direct Energy160 W/ch (6 ohms, 1 kHz, THD 10 %, 1ch Driven)135 W/ch (6 ohms, 1 kHz, THD 1.0 %, 1ch Driven)Audio FeaturesDolby Atmos®, Dolby Surround UpmixerDTS:X®, DTS Neural:X® UpmixerReflex OptimizerDolby Atmos Height Virtualizer*1DTS Virtual:X*1Dolby® TrueHD, Dolby Digital PlusDTS-HD Master Audio, DTS-HD High Resolution Audio, DTS96/24, DTS-ES, DTS-HD ExpressDSD Disc (SACD) Playback via HDMI (2.8 MHz/2ch, 5.1ch)Digital Quad-Core 32-bit DSP (Cirrus Logic)384 kHz/32-bit D/A Conversion with AK4458 (AKM)Audio Return Channel (ARC) on HDMIMCACC Auto Room TuningPhase ControlSubwoofer EQAdvanced Sound Retriever (2ch)Advanced Surround ModesClassical, Unplugged, Entertainment Show, Drama,Advanced Game, Action, Rock/Pop, Sports, Extended Stereo,Extended Mono, Front Stage Surround AdvanceVideo FeaturesUltra HD Pass-through with HDCP 2.2 (4K/60p/4:4:4/24-bit,4K/24p/4:4:4/36-bit, 4K/60p/4:2:0/36-bit)HDR10, HLG and BT.2020 Wide Colour Gamu

737,00



Sostituisce e annulla i precedenti

Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>PIONEER AV RECEIVERS VSX534 Black (VSX534BMMP) 4573211154207</p>	<p>5.2-Channel AV Receiver Amplification Amplification Type: Direct Energy150 W/ch (6 ohms, 1 kHz, THD 10 %, 1ch Driven)135 W/ch (6 ohms, 1 kHz, THD 1.0 %, 1ch Driven)Audio FeaturesDolby Atmos®, Dolby Surround UpmixerDTS:X®, DTS Neural:X® UpmixerReflex OptimizerDolby Atmos Height Virtualizer*DTS Virtual:XDolby® TrueHD, Dolby Digital PlusDTS-HD Master Audio, DTS-HD High Resolution Audio, DTS96/24, DTS-ES, DTS-HD ExpressDSD Disc (SACD) Playback via HDMI (2.8 MHz/2ch, 5.1ch)Digital Quad-Core 32-bit DSP (Cirrus Logic)384 kHz/32-bit D/A Conversion with AK4438 (AKM)Audio Return Channel (ARC) on HDMIMCACC Auto Room TuningPhase ControlSubwoofer EQAdvanced Sound Retriever (2ch)Advanced Surround ModesClassical, Unplugged, Entertainment Show, Drama, ExtendedStereo, Extended Mono, Front Stage Surround AdvanceVideo FeaturesUltra HD Pass-through with HDCP 2.2 (4K/60p/4:4:4/24-bit,4K/24p/4:4:4/36-bit, 4K/60p/4:2:0/36-bit)HDR10, HLG and BT.2020 Wide Colour Gamut Signal PassthroughDolby Vision Compatible</p>	491,00
 <p>PIONEER AV RECEIVERS VSX534D Black (VSX534DBMMP) 4573211154214</p>	<p>5.2-Channel AV Receiver Amplification Amplification Type: Direct Energy150 W/ch (6 ohms, 1 kHz, THD 10 %, 1ch Driven)135 W/ch (6 ohms, 1 kHz, THD 1.0 %, 1ch Driven)Audio FeaturesDolby Atmos®, Dolby Surround UpmixerDTS:X®, DTS Neural:X® UpmixerReflex OptimizerDolby Atmos Height Virtualizer*DTS Virtual:XDolby® TrueHD, Dolby Digital PlusDTS-HD Master Audio, DTS-HD High Resolution Audio, DTS96/24, DTS-ES, DTS ExpressDSD Disc (SACD) Playback via HDMI (2.8 MHz/2ch, 5.1ch)Digital Quad-Core 32-bit DSP (Cirrus Logic)384 kHz/32-bit D/A Conversion with AK4438 (AKM)Audio Return Channel (ARC) on HDMIMCACC Auto Room TuningPhase ControlSubwoofer EQAdvanced Sound Retriever (2ch)Advanced Surround ModesClassical, Unplugged, Entertainment Show, Drama, ExtendedStereo, Extended Mono, Front Stage Surround AdvanceVideo FeaturesUltra HD Pass-through with HDCP 2.2 (4K/60p/4:4:4/24-bit,4K/24p/4:4:4/36-bit, 4K/60p/4:2:0/36-bit)HDR10, HLG and BT.2020 Wide Colour Gamut Signal PassthroughDolby Vision CompatibleUltr</p>	532,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa





Modello	Descrizione	Prezzo al Pubblico
---------	-------------	--------------------

STEREO RECEIVERS

	<p>PIONEER NC-50DAB-S (156768) 4573211151411</p>	<p>PIONEER NC-50DAB-S Sistema hi-fi all-in-one con amplificatori di classe D, lettore CD e un'unità streaming completa.</p>	<p>917,00</p>
	<p>PIONEER STEREO RECEIVERS SXN30AE Black (SXN30AEBMPP) 4573211153231</p>	<p>Network Stereo Receiver Application Type: Direct Energy Analogue Discrete 2ch Amplifier Large EI Transformer Two Large Custom 8,200 F Capacitors 135 W/ch (6 ohms, 1 kHz, THD 1.0 %, 1ch Driven) Screw Type Speaker Terminals Compatible with Thick Cables Audio & Home Network Features Direct Mode Music File Playback via Network/USB: MP3, WMA, WAV, AIFF, AAC, FLAC, and Apple Lossless 192 kHz/24-bit Audio Playback (WAV*1, FLAC*1) DSD Direct Playback (2ch, 5.6 MHz) Spotify®, TI DAL, and Deezer Digital Music-Streaming Services Ready*2 Internet Radio with TuneIn Flare Connect™ for Multi-room Audio Chromecast built-in Works with the Google Assistant*3 DTS Play-Fi Ready*3 Convenience Features Dual Band Wi-Fi (5 GHz/2.4 GHz) Bluetooth® Wireless Technology (Ver. 4.1 + LE, Profile: A2DP/AVRCP/HOGP-Host/HOGP-HID Device/HID Service, Codec: SBC/AAC) Works with Pioneer Remote App (iOS/Android)*4 AM/FM (RDS) Tuner with 40 Station Presets Preset Station Naming (Up to 10 Characters) Auto Standby SR Remote Control</p>	<p>598,00</p>
	<p>PIONEER STEREO RECEIVERS SXN30AE Silver (SXN30AESMPP) 4573211153248</p>	<p>Network Stereo Receiver Application Type: Direct Energy Analogue Discrete 2ch Amplifier Large EI Transformer Two Large Custom 8,200 F Capacitors 135 W/ch (6 ohms, 1 kHz, THD 1.0 %, 1ch Driven) Screw Type Speaker Terminals Compatible with Thick Cables Audio & Home Network Features Direct Mode Music File Playback via Network/USB: MP3, WMA, WAV, AIFF, AAC, FLAC, and Apple Lossless 192 kHz/24-bit Audio Playback (WAV*1, FLAC*1) DSD Direct Playback (2ch, 5.6 MHz) Spotify®, TI DAL, and Deezer Digital Music-Streaming Services Ready*2 Internet Radio with TuneIn Flare Connect™ for Multi-room Audio Chromecast built-in Works with the Google Assistant*3 DTS Play-Fi Ready*3 Convenience Features Dual Band Wi-Fi (5 GHz/2.4 GHz) Bluetooth® Wireless Technology (Ver. 4.1 + LE, Profile: A2DP/AVRCP/HOGP-Host/HOGP-HID Device/HID Service, Codec: SBC/AAC) Works with Pioneer Remote App (iOS/Android)*4 AM/FM (RDS) Tuner with 40 Station Presets Preset Station Naming (Up to 10 Characters) Auto Standby SR Remote Control</p>	<p>598,00</p>
	<p>PIONEER STEREO RECEIVER SX10AE BLACK (SX10AEBMPP) 4573211153187</p>	<p>Audio Stereo Receiver with BT. The discrete amplifier inherits the Direct Energy Design for faithful reproduction of the audio content. A shorter transmission path, clean grounding and rigid structure with improved damping all help improve audio for quality sound</p> <p>BLUETOOTH COMPATIBLE. Seamlessly connect your phone, tablet or PC with Bluetooth Wireless Technology. This smart receiver remembers your device and starts playback when it detects incoming Bluetooth audio. Ver. 4.2, Profile: A2DP/AVRCP, Codec: SBC/AAC</p> <p>AM/FM TUNER. The automatic tuning feature lets you easily find stations in your area. Manual tuning is also available. You can save up to 40 stations on the receiver's preset for quick access</p> <p>AUTO STANDBY. The SX-10AE will automatically turn off after being left uncontrolled for a certain time set by the user</p> <p>FEATURES. 85 W per Channel (6 ohms), 45 W per Channel (8 ohms). Tone Controls: Bass (100 Hz)/Treble (10 kHz) +/- 10 dB. Frequency Response: Direct 10 hz-100 kHz, +1 dB/-3 dB</p>	<p>257,46</p>







Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 PIONEER AMPLIFIERS A40AE Black (A40AEBMGP) 4573211153996	Integrated Amplifier 60 W + 60 W (20 Hz-20 kHz, THD 0.5 %, 4 ohms, 2ch Driven)30 W + 30 W (20 Hz-20 kHz, THD 0.4 %, 8 ohms, 2ch Driven)Guaranteed Speaker Impedance(2 Speaker Terminals): 4-16 ohms (A or B, Bi-Wiring), 8-32 ohms (A+B)Frequency Response: 10 Hz-100 kHz +1 dB/-3 dBSignal-to-Noise Ratio (IHF-A) 106 dB (LINE In, SP Out), 81 dB (PHONO In,SP Out)Power Requirements: AC 220-230 V, 50/60 HzPower Consumption: 150 WPower Consumption During Standby: 0.2 WDimensions (W x H x D): 435 x 129 x 323 mm Weight: 8.2 kg	491,00
 PIONEER AMPLIFIERS A40AE Silver (A40AESMGP) 4573211154009	Integrated Amplifier 60 W + 60 W (20 Hz-20 kHz, THD 0.5 %, 4 ohms, 2ch Driven)30 W + 30 W (20 Hz-20 kHz, THD 0.4 %, 8 ohms, 2ch Driven)Guaranteed Speaker Impedance(2 Speaker Terminals): 4-16 ohms (A or B, Bi-Wiring), 8-32 ohms (A+B)Frequency Response: 10 Hz-100 kHz +1 dB/-3 dBSignal-to-Noise Ratio (IHF-A) 106 dB (LINE In, SP Out), 81 dB (PHONO In,SP Out)Power Requirements: AC 220-230 V, 50/60 HzPower Consumption: 150 WPower Consumption During Standby: 0.2 W Dimensions (W x H x D): 435 x 129 x 323 mm Weight: 8.2 kg	491,00
 PIONEER AMPLIFIERS A10AE Black (A10AEBMGP) 4573211153965	Integrated Amplifier 50 W + 50 W (20 Hz-20 kHz, THD 0.9 %,4 ohms, 2ch Driven)30 W + 30 W (20 Hz-20 kHz, THD 0.7 %,8 ohms, 2ch Driven)Guaranteed Speaker Impedance(2 Speaker Terminals): 4-16 ohmsFrequency Response: 10 Hz-100 kHz +1 dB/-3 dBSignal-to-Noise Ratio (IHF-A) 103 dB(LINE In, SP Out), 78 dB (PHONO In,SP Out)Power Requirements: AC 220-230 V,50/60 HzPower Consumption: 130 WPower Consumption During Standby:0.2 WDimensions (W x H x D): 435 x 129 x 323 mm Weight: 6.8 kg Integrated Amplifier	352,00
 PIONEER AMPLIFIERS A10AE Silver (A10AESMGP) 4573211153972	Integrated Amplifier 50 W + 50 W (20 Hz-20 kHz, THD 0.9 %,4 ohms, 2ch Driven)30 W + 30 W (20 Hz-20 kHz, THD 0.7 %,8 ohms, 2ch Driven)Guaranteed Speaker Impedance(2 Speaker Terminals): 4-16 ohmsFrequency Response: 10 Hz-100 kHz +1 dB/-3 dBSignal-to-Noise Ratio (IHF-A) 103 dB(LINE In, SP Out), 78 dB (PHONO In,SP Out)Power Requirements: AC 220-230 V,50/60 HzPower Consumption: 130 WPower Consumption During Standby:0.2 WDimensions (W x H x D): 435 x 129 x 323 mm Weight: 6.8 kg Integrated Amplifier	352,00

Pioneer

Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>PIONEER CD PLAYERS PD50AE Black (PD50AEBMGP)</p>	<p>SACD Player Works as a USB D/A Converter Analogue/Digital Discrete Power Supply Circuitry Custom Electrolytic Capacitors for High-Quality Audio High-Quality Audio Processing by ESS ES9026PRO DAC 4 Channel Parallel DriveLock Range Adjust Function for Reducing Jitter by Adjusting Lock Range AccuracyUp Sampling (Up to 384kHz)Digital Filter with 3 Modes (SHARP/SLOW/SHORT)CONSTRUCTION Damping & Quiet SACD/CD Drive with Honeycomb MechanismDouble Layer Aluminum Side Panel to Suppress External VibrationFloat Mounting Drive Mechanism StructureDouble Layered Top CoverAnti-Standing Wave InsulatorsAC Inlet Type Thick CablesPLAYBACK MEDIA & FORMATSSACD, MQA-CD, CD, CD-R/RW, DVD-R/RW, DVD+R/RWWAV/FLAC/AIFF/ALAC/MP3/WMA/AAC/DFP/DSF/MQATERMINALSAnalogue Output (1 Pair Gold-Plated RCA)Digital Coaxial Output (Gold-Plated)Digital Optical OutputAC Inlet (Large type)USB Input (Type B)SPECIFICATIONSS/N Ratio: 116 dBTHD: 0.0020 %Frequency Response: SACD 2 Hz-50 kHz (-3 dB), CD 2 Hz-20 kHz Power Requirements:</p>	1.475,00
 <p>PIONEER CD PLAYERS PD30AE Black (PD30AEBMMP) 4573211151725</p>	<p>Compact Disc Player Audio Features192 kHz/24-bit DAC High-Accuracy Clock CONSTRUCTION Aluminium Front PanelRigid ChassisQuiet Drive MechanismLarge Capacity EI TransformerHeadphone Terminal for High-Quality SoundDetachable AC Power Cord (Replaceable with a Thick Cable)PLAYBACK MEDIA & FORMATSACD/CD-R/CD-RW/MP3 (CD-R/CD-RW)CONVENIENCE25-Track Memory PlaybackRandom and Repeat PlaybackAuto StandbyDimmerTerminalsPhones Output (6.3 mm)Analogue Output (Gold-Plated)Digital Coaxial Output (Gold-Plated)Digital Optical OutputSR In/OutAC Inlet (Large Type)SpecificationsPower Requirements: 220-240 V,50/60 HzPower Consumption: 12 WPower Consumption During Standby:0.2 WDimensions (W x H x D):435 x 103 x 298 mm Weight: 5.3 kg CDS/N: 107 dB THD: 0.0029 %Dynamic Range: 100 dB Frequency Response: 4 Hz-20 kHz</p>	327,00
 <p>PIONEER CD PLAYERS PD10AEM2 Black (PD10AEM2BMMP) 4573211155198</p>	<p>Compact Disc Player Audio Features192 kHz/24-bit DAC High-Accuracy Clock CONSTRUCTION Rigid Chassis Quiet Drive Mechanism Large Capacity EI Transformer PLAYBACK MEDIA & FORMATSACD/CD-R/CD-RW/MP3 (CD-R/CD-RW)CONVENIENCE25-Track Memory PlaybackRandom and Repeat PlaybackAuto StandbyDimmerTerminalsAnalogue OutputSpecificationsPower Requirements: 220-240 V,50/60 HzPower Consumption: 12 WPower Consumption During Standby:0.2 WDimensions (W x H x D):435 x 103 x 290 mm Weight: 5.1 kg CDS/N: 107 dB THD: 0.0029 %Dynamic Range: 100 dB Frequency Response: 4 Hz-20 kHz</p>	311,00
 <p>PIONEER CD PLAYERS PD10AEM2 Silver (PD10AEM2SMMP) 4573211151701</p>	<p>Compact Disc Player Audio Features192 kHz/24-bit DAC High-Accuracy Clock CONSTRUCTION Rigid Chassis Quiet Drive Mechanism Large Capacity EI Transformer PLAYBACK MEDIA & FORMATSACD/CD-R/CD-RW/MP3 (CD-R/CD-RW)CONVENIENCE25-Track Memory PlaybackRandom and Repeat PlaybackAuto StandbyDimmerTerminalsAnalogue OutputSpecificationsPower Requirements: 220-240 V,50/60 HzPower Consumption: 12 WPower Consumption During Standby:0.2 WDimensions (W x H x D):435 x 103 x 290 mm Weight: 5.1 kg CDS/N: 107 dB THD: 0.0029 %Dynamic Range: 100 dB Frequency Response: 4 Hz-20 kHz</p>	311,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
---------	-------------	--------------------

ACCESSORI



PIONEER ASDB100 Black
(ASDB100BMU)
4573211153095

USB DAB Adapter FEATURES Supports DAB/» DAB+ Digital Radio For Use with Compatible Pioneer Products USB Cable Included DAB Antenna Included
Specifications Tuning Range: 174.928 (5 A) - 239.200 (13 F) MHz Band III
Sensitivity: -98 dBm (Min)Power Consumption: 120 mA Dimensions (W x H x D): 30 x 16 x 76.8 mm Weight: 22 g USB Type 2 Terminal, Full Speed Connection

57,00