











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa










Modello	Descrizione	Prezzo al Pubblico
---------	-------------	--------------------

Amplificatori

	NCSA1120Z-U-EU (JBNCSA1120Z-U-EU) 8710150083632	JBL Commercial Amplifier-1 x 120W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit (EU Version)	697,00
	NCSA1300Z-34-EU (JBNCSA1300Z-34-EU) 691991004988	JBL Commercial Amplifier-1 x 300W DriveCore Amplifier, 4ohm/8ohm/70V/100V, 2U Full-Rack, Serial Commands	772,00
	NCSA180Z-U-EU (JBNCSA180Z-U-EU) 8710150084318	JBL Commercial Amplifier-1 x 80W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit (EU Version)	597,00
	NCSA2120Z-U-EU (JBNCSA2120Z-U-EU) 8710150081584	JBL Commercial Amplifier-2 x 120W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit (EU Version)	929,00
	NCSA2300Z-34-EU (JBNCSA2300Z-34-EU) 691991004995	JBL Commercial Amplifier-2 x 300W DriveCore Amplifier, 4ohm/8ohm/70V/100V, 2U Full-Rack, Serial Commands	993,00
	NCSA240Z-U-EU (JBNCSA240Z-U-EU) 8710150082956	JBL Commercial Amplifier-2 x 40W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit (EU Version)	598,00
	NCSA280Z-U-EU (JBNCSA280Z-U-EU) 8710150082260	JBL Commercial Amplifier-2 x 80W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit (EU Version)	759,00
	NCSMA1120-U-EU (JBNCMA1120-U-EU) 8710150074890	JBL Commercial Mixer-Amplifier-4 input - 1 x 120W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit (EU Version)	1.030,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 NCSMA180-U-EU (JBNC SMA180-U-EU) 8710150075408	JBL Commercial Mixer-Amplifier-4 input - 1 x 80W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit (EU Version)	770,00
 NCSMA2120-U-EU (JBNC SMA2120-U-EU) 8710150076016	JBL Commercial Mixer-Amplifier-8 input - 2 x 120W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit (EU Version)	1.235,00
 NCSMA240-U-EU (JBNC SMA240-U-EU) 8710150076634	JBL Commercial Mixer-Amplifier-8 input - 2 x 40W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit (EU Version)	898,00
 NCSMA280-U-EU (JBNC SMA280-U-EU) 8710150077242	JBL Commercial Mixer-Amplifier-8 input - 2 x 80W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit (EU Version)	1.122,00
 CSS-BB4X6 (JB CSS-BB4X6) 691991300059	JBL Accessories-Pack of 6 pcs of 4" backcans for CSS8004. Steel, zinc-plated, powder-coated, 4.8" (121mm) deep, 5 knockouts (priced an sold as a pack of 6 pcs).	79,00
 CSS-BB8X6 (JB CSS-BB8X6)	JBL Accessories-Pack of 6 pcs of 8" backcans for CSS8008 or CSS8018. Steel, zinc-plated, powder-coated, 4.8" (121 mm) deep, 5 knockouts (priced an sold as a pack of 6 pcs).	126,00
 EONONE-BATT (JBEONONE-BATT) 691991035401	JBL EON Series-JBL EON ONE MK2 SPARE BATTERY	213,00
 EONONECHGR-EK (JBEONONECHGR-EK) 691991035449	JBL EON Series-JBL EON ONE MK2 DUAL BATTERY CHARGER	204,00
 EONONECOMPACT-512V (JBEONONECOMPAC512V) 691991033858	JBL EON Series-EON ONE Compact 5v to 12v cable	21,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 EONONECOMPACT-5V9V (JBEONONECOMPAC5V9V) 691991033865	JBL EON Series-EON ONE Compact DMS Acc Cable	21,00
 EONONECOMPACT-BATT (JBEONONECOMPACTBAT) 691991033834	JBL EON Series-Eon One Compact Battery	130,00
 EONONECOMP-CHGR (JBEONONECOMPCHGREK) 691991034565	JBL EON Series-EON ONE Compact Battery Charger-EK	133,00
 JBLTRIPOD-GA (JBTRIPOD-GA)	JBL Accessories-JBL speaker tripod featuring gass assist adjustment from 3' 8" to 6' 7"	289,00
 JBLTRIPOD-MA (JBTRIPOD-MA)	JBL Accessories-JBL speaker tripod with manual adjustment from 4' 2" to 6' 5".	120,00
 VTX B28 GND (JBVTXB28GND) 691991034442	JBL VTX Series-Ground Stack accessory for VTX B28	1.221,00
 LA4-D-EK (JBA4-D-EK) 691991017087	JBL Cinema JBL Cinema-DSi LA4-D, 4 CH AMP, DANTE, EK VER	4.486,00
 LA4-EK (JBA4-EK) 691991016967	JBL Cinema JBL Cinema-DSi LA4, 4 CH AMP, EK VER	4.067,00
 MA4-D-EK (JBMA4-D-EK) 691991017049	JBL Cinema JBL Cinema-DSi MA4-D, 4 CH AMP, DANTE, EK VER	4.008,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>MA4-EK (JBMA4-EK) 691991016929</p>	JBL Cinema JBL Cinema-DSi MA4, 4 CH AMP, EK VER	3.589,00
 <p>MTC-200BB6 (JBMTC-200BB6) 691991300103</p>	JBL Accessories-Backcan for Control 227C & CT. Round with extra-thick 16-gauge steel and heavy-duty 1/2" MDP reinforcement on top panel. Knockouts on sides and top panel. 0.5 cu ft, 13.3" dia x 8.1" deep, UL LISTED, (priced and shipped in eaches).	85,00
 <p>MTC-23CM (JBMTC-23CM) 691991300332</p>	JBL Accessories-Ceiling-Mount Adapter for Control 23, Black. Each Pack Contains 2 Pieces.	18,00
 <p>MTC-23CM-WH (JBMTC-23CM-WH) 691991300349</p>	JBL Accessories-Ceiling-Mount Adapter for Control 23, White. Each Pack Contains 2 Pieces.	18,00
 <p>MTC-23UB-1 (JBMTC-23UB-1) 691991005213</p>	JBL Accessories-U-Bracket for Control 23-1 & 23-1L. Black. Priced and packaged individually. Master Pack = 6 pcs.	31,00
 <p>MTC-23UB-1-WH (JBMTC-23UB-1-WH) 691991005220</p>	JBL Accessories-U-Bracket for Control 23-1 & 23-1L. Black. Priced and packaged individually. Master Pack = 6 pcs. WHITE	31,00
 <p>MTC-25UB-1 (JBMTC-25UB-1) 691991005237</p>	JBL Accessories-U-Bracket for Control 25-1 & 25-1L. Black. Priced and packaged individually. Master Pack = 6 pcs.	42,00
 <p>MTC-25UB-1-WH (JBMTC-25UB-1-WH)</p>	JBL Accessories-U-Bracket for Control 25-1 & 25-1L. Black. Priced and packaged individually. Master Pack = 6 pcs. WHITE	42,00
 <p>MTC-25WMG (JBMTC-25WMG) 691991300493</p>	JBL Accessories-WeatherMax™ Replacement Grille for Control 25AV & 25AV-LS only. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, Black.	56,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>MTC-25WMG-1-WH (JBMTTC-25WMG-1-WH) 691991005183</p>	JBL Accessories-WeatherMax™ Replacement Grille for Control 25-1 & 25-1L for harsh environments. Thick aluminum with 3-layer foam backing and powdercoat finish, black. Provides IP-55 Grille Rating. Priced and packaged individually. WHITE	52,00
 <p>MTC-25WMG-WH (JBMTTC-25WMG-WH) 691991300509</p>	JBL Accessories-WeatherMax™ Replacement Grille for Control 25AV & 25AV-LS Models only. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, White	56,00
 <p>MTC-28/25CM (JBMTTC-28-25CM)</p>	JBL Accessories-Ceiling-Mount Adapter for Control 28 and Control 25, Black. Each Pack Contains 2 Pieces.	36,00
 <p>MTC-28/25CM-WH (JBMTTC-28-25CM-WH)</p>	JBL Accessories-Ceiling-Mount Adapter for Control 28 and Control 25, White. Each Pack Contains 2 Pieces.	36,00
 <p>MTC-28UB-1 (JBMTTC-28UB-1) 691991005251</p>	JBL Accessories-U-Bracket for Control 28-1 & 28-1L. Black. Priced and packaged individually. Master Pack = 6 pcs.	52,00
 <p>MTC-28UB-1-WH (JBMTTC-28UB-1-WH)</p>	JBL Accessories-U-Bracket for Control 28-1 & 28-1L. Black. Priced and packaged individually. Master Pack = 6 pcs. WHITE	52,00
<p>MTC-28WMG-1 (JBMTTC-28WMG-1) 691991005190</p>	JBL Accessories-WeatherMax™ Replacement Grille for Control 28-1 & 28-1L for harsh environments. Thick aluminum with 3-layer foam backing and powdercoat finish, black. Provides IP-55 Grille Rating. Priced and packaged individually.	74,00
<p>MTC-28WMG-1-WH (JBMTTC-28WMG-1-WH) 691991005206</p>	JBL Accessories-WeatherMax™ Replacement Grille for Control 28-1 & 28-1L for harsh environments. Thick aluminum with 3-layer foam backing and powdercoat finish, black. Provides IP-55 Grille Rating. Priced and packaged individually. WHITE	74,00
 <p>MTC-29UB-WH (JBMTTC-29UB-WH)</p>	JBL Accessories-U-Bracket for Control 29AV, in White.	100,00
 <p>MTC-2P (JBMTTC-2P)</p>	JBL Control Series-Wall-Mount Bracket Kit for Control 2P. Includes Two Wall Mounts, Not Recommended For Mobile Applications.	35,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>MTC-300BB12 (JBMTc-300BB12) 691991300127</p>	JBL Accessories-Best-in-Class Three Cubic Foot Back Box for 12" Models. Rectangular with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top and Side Panels. Fits Control 321C, 321CT, 322C, 322CT & 321CS. 23.1" x 18.2" (20" Incl. Side Tabs) x 12.8" Deep. NOW UL LISTED	302,00
 <p>MTC-300BB8 (JBMTc-300BB8) 691991300110</p>	JBL Accessories-One Cubic Foot Back Box for 8" Models. Round with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top Panel. Knockouts on Sides and Top Panel. Fits Control 328C & 328CT. 15" Dia x 10.6" Deep. NOW UL LISTED	103,00
 <p>MTC-300SG12 (JBMTc-300SG12) 691991300134</p>	JBL Accessories-Contemporary Square Grille for 12" Models. Fashionable Upscale Look, White, Metal, 16.3" x 16.3" x 0.4" Deep. NOW UL LISTED	49,00
 <p>MTC-300T150 (JBMTc-300T150) 691991300141</p>	JBL Accessories-150 Watt Transformer for Higher Output from a 70V or 100V System. Use with Non-T Version Loudspeakers. Mounts to Tabs Inside MTC-300BB12 Back Box (Does not Mount on Driver Assembly). 3.1" H x 3.4" W x 3.4" Deep. NOW UL LISTED	102,00
 <p>MTC-30MK (JBMTc-30MK)</p>	JBL Accessories-Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra durability when installing Control 30's in challenging corrosive environments such as cruise ships, sea-side restaurants, resorts in salt-air areas, water parks and swimming facilities. Kit includes extra-thick painted aluminum grille with WeatherMax™ backing plus stainless steel grille screws and protection caps for baffle screws. Black.	184,00
 <p>MTC-SG6/8 (JBMTc-SG6-8) 691991300097</p>	JBL Accessories-Contemporary Square Grille for Control 200 & 300 Series 6.5" Medium-Format and 8" Large-format Coaxial Ceiling Loudspeakers. Fashionable, upscale look, white finish over zinc-plated metal. Fits Control 227C, 227CT, 328C and 328CT.	63,00
 <p>MTC-8128C (JBMTc-8128C) 691991300776</p>	JBL Accessories-C-ring for 8128 (Priced as each, sold in packages of 4 pcs (for 4 speakers)	22,00
 <p>MTC-81TB8 (JBMTc-81TB8)</p>	JBL Accessories-Tile Bridge for MTC-81BB8 backcan, 19 gauge steel with e-coating (priced as each, sold in packs of 4 pcs)	24,00
 <p>MTC-CBT-70T (JBMTc-CBT-70T) 691991300226</p>	JBL Accessories-Bolt on Transformer Module to allow CBT70J-1 or CBT70JE-1 Speaker to be used on 70V/100V Distributed Line Speaker. 120W Multi-Tap, Gland Nuts Provide Water Tight Cable Entrance and Exit. Sold and priced as each.	167,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 MTC-CBT-FM1 (JBMT-CBT-FM1) 691991300189	JBL Accessories-Flush-Mount Wall Bracket for CBT50LA-1 and 100LA-1	58,00
 MTC-CBT-FM1-WH (JBMT-CBT-FM1-WH) 691991300196	JBL Accessories-Flush-Mount Wall Bracket for CBT50LA-1 and 100LA-1 WHITE	58,00
 MTC-CBT-FM2 (JBMT-CBT-FM2) 691991300165	JBL Accessories-Flush-Mount Wall Bracket for CBT70J-1 and 70J-1/JE-1	80,00
 MTC-CBT-FM2-WH (JBMT-CBT-FM2-WH) 691991300172	JBL Accessories-Flush-Mount Wall Bracket for CBT50LA-1 and 100LA-1 WHITE	80,00
 MTC-CBT-SMB1 (JBMT-CBT-SMB1) 691991300158	JBL Accessories-STAND MOUNT BRACKER FOR CBT	85,00
 MTC-PC2 (JBMT-C-PC2)	JBL Accessories-Sealed Panel Cover for Input Terminal Compartment. Also functions as Strain Relief. Fits all Surface-Mount Models. Gland Nut Extends Toward Back. Priced is for a package of two covers.	30,00
 MTC-PC3 (JBMT-C-PC3) 691991005275	JBL Accessories-Sealed Panel Cover for Input Terminal Compartment. Also functions as Strain Relief. Fits all Surface-Mount Models. Side-Mounted Gland Nut for low-profile installations. Priced is for a package of two covers.	33,00
 MTC-RG6/8 (JBMT-C-RG6-8)	JBL Accessories-*Previously MTC-300RG8*. Contemporary Round Grille for Control 227C/CT 6.5" and 328C/CT 8" Models". Fashionable Upscale Look, White, Metal, 13.6" Dia x 0.64" Deep. UL LISTED. Sold and Shipped as Eaches).	35,00
 MTU-15 (JBMTU-15) 691991012235	JBL AE Series-U?Bracket For Model AC15	100,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
MTU-1 (JBMTU-1) 691991012228	JBL AE Series-U?Bracket For Models AM7215/xx and AM5215/xx.	274,00
 MTU-15-WH (JBMTU-15-WH) 691991012242	JBL AE Series-U?Bracket For Model AC15. White finish.	100,00
 MTU-16 (JBMTU-16) 691991012259	JBL AE Series-U?Bracket For Model AC16	133,00
 MTU-16-WH (JBMTU-16-WH) 691991012266	JBL AE Series-U?Bracket For Model AC16. White finish	133,00
 MTU-18-WH (JBMTU-18-WH) 691991012280	JBL AE Series-U?Bracket For Models AC18/xx. White finish	154,00
 MTU-18 (JBMTU-18) 691991012273	JBL AE Series-U?Bracket For Models AC18/xx	154,00
 MTU-195 (JBMTU-195) 691991002274	JBL AE Series-U Bracket for AC195. Black (standard)	134,00
 MTU-195-WH (JBMTU-195-WH) 691991002311	JBL AE Series-U Bracket for AC195. White (-WH)	134,00
 MTU-1-WH (JBMTU-1-WH) 691991012297	JBL AE Series-U?Bracket For Models AM7215/xx and AM5215/xx. White finish.	274,00
 MTU-2 (JBMTU-2) 691991012303	JBL AE Series-U?Bracket For Model AC2215/xx	274,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 MTU-25 (JBMTU-25) 691991012310	JBL AE Series-U?Bracket For Model AC25	124,00
 MTU-25-WH (JBMTU-25-WH) 691991012327	JBL AE Series-U?Bracket For Model AC25. White finish	124,00
 MTU-26 (JBMTU-26) 691991012334	JBL AE Series-U?Bracket For Model AC26	147,00
 MTU-266-99 (JBMTU-266-99)	JBL AE Series-U bracket for AC266 and AC299. Black (Standard)	156,00
 MTU-266-99-WH (JBMTU-266-99-WH)	JBL AE Series-U bracket for AC266 and AC299. White (-WH)	156,00
 MTU-26-WH (JBMTU-26-WH) 691991012341	JBL AE Series-U?Bracket For Model AC26. White finish	147,00
 MTU-28 (JBMTU-28) 691991012358	JBL AE Series-U?Bracket For Models AC28/xx	192,00
 MTU-28-WH (JBMTU-28-WH) 691991012365	JBL AE Series-U?Bracket For Models AC28/xx. White finish	192,00
 MTU-2-WH (JBMTU-2-WH) 691991012372	JBL AE Series-U?Bracket For Model AC2215/xx. White finish.	274,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 MTU-3-WH (JBMTU-3-WH) 691991007545	JBL AE Series-U?Bracket For Models AM7212/xx and AM5212/xx. White finish.	283,00
 MTU-3 (JBMTU-3) 691991012389	JBL AE Series-U?Bracket For Models AM7212/xx and AM5212/xx.	283,00
 MTU-4 (JBMTU-4) 691991012396	JBL AE Series-U?Bracket For Model AC2212/xx.	283,00
 JBL-PRXONEINSKIT (JBPRXONEINSKIT) 691991035418	JBL PRX Series-PRX One Install adapter bracket kit	370,00
 SA4-D-EK (JBSA4-D-EK) 691991017001	JBL Cinema JBL Cinema-DSi SA4-D, 4 CH AMP, DANTE, EK VER	2.811,00
 SA4-EK (JBSA4-EK) 691991016882	JBL Cinema JBL Cinema-DSi SA4, 4 CH AMP, EK VER	2.393,00
 ACK1 (JBP3291MX) 691991037832	JBL SRX Series-Universal Accessory Caster Kit	89,00
 SRX900LA PB (JBP3240MX) 691991035616	JBL SRX Series-SRX900 Pull Back accessory, compatible with all LA models	129,00
 SRX900 RC1 (JBP3239MX) 691991035623	JBL SRX Series-SRX900 Rain Cover, compatible with all models	52,00








Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 SRX906LA AF (JBP3231MX) 691991035708	JBL SRX Series-Array Frame for SRX906LA, support for up to (16) cabinets	1.017,00
 SRX906LA BP (JBP3233MX) 691991035692	JBL SRX Series-Base Plate for SRX906LA	679,00
 SRX906LA CASE (JBP3311MX) 691991038488	JBL SRX Series-Flight case for (4) SRX906LA	1.186,00
 SRX910LA AF (JBP3235MX) 691991035678	JBL SRX Series-Array Frame for SRX910LA, support for up to (16) cabinets	1.357,00
 SRX910LA BP (JBP3238MX) 691991035647	JBL SRX Series-Base Plate for SRX910LA	848,00
 SRX910LA VT (JBP3236MX) 691991035661	JBL SRX Series-Vertical Transporter for (4) SRX910LA	1.102,00
 SRX910LA VT CVR (JBP3237MX) 691991035654	JBL SRX Series-Vertical Transporter Cover for (4) SRX910LA	340,00
 SRX918S CVR (JBP3242MX) 691991035593	JBL SRX Series-Soft cover for a single SRX918S	171,00
 SRX928S CVR (JBP3244MX) 691991035531	JBL SRX Series-Soft cover for a single SRX918S	298,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 NVMA1120-34-EU (JBNVMA1120-34-EU) 691991004445	JBL Commercial Mixer-Amplifier-VMA 1120: (5) input channel x (1) 120W output channel Mixer/Amplifier	613,00
 NVMA1240-34-EU (JBNVMA1240-34-EU) 691991004513	JBL Commercial Mixer-Amplifier-VMA 1240: (5) input channel x (1) 240W output channel Mixer/Amplifier	745,00
 NVMA160-34-EU (JBNVMA160-34-EU) 691991004377	JBL Commercial Mixer-Amplifier-VMA 160: (5) input channel x (1) 60W output channel Mixer/Amplifier	480,00
 NVMA2120-34-EU (JBNVMA2120-34-EU) 691991004650	JBL Commercial Mixer-Amplifier-VMA 2120: (8) input channel x (2) 120W output channel Mixer/Amplifier	812,00
 NVMA260-34-EU (JBNVMA260-34-EU) 691991004582	JBL Commercial Mixer-Amplifier-VMA 260: (8) input channel x (2) 60W output channel Mixer/Amplifier	679,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
---------	-------------	--------------------

Diffusori

Altoparlanti installazioni



8124
(JB8124)
050036903974

JBL Ceiling Speaker-4" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), high 93 dB sens, 60 Hz to 18 kHz, for non-plenum applications, 1.2 kg (2.5 lb). (Priced as each, sold in packages of 4 pcs)

52,00



8128
(JB8128)
691991000102

JBL Ceiling Speaker-8" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), very high 97 dB sens, 50 Hz to 16 kHz, for non-plenum applications, 1.4 kg (3.0 lb). (Priced as each, sold in packages of 4 pcs)

68,00



8138
(JBHPD8138)

JBL Ceiling Speaker-8" Ceiling Speaker for Pre-Install Backcan, stylish look, for use with MTC-81BB8 backcan and MTC-81TB8 tile bridge, or standard backcans. Very high 97 dB sens, 95 Hz – 18 kHz, 6W multiple tap transformer, 90° coverage. (priced as each, sold in packs of 4 pcs)

72,00



AC115S
(JBAC115S)
691991001314

JBL AE Series-15" Subwoofer with 75mm (3 in) voice coil. (priced as each)

1.199,00



AC115S-WH
(JBAC115S-WH)
691991005022

JBL AE Series-15" Subwoofer with 75mm (3 in) voice coil. (priced as each) WHITE

1.199,00



AC118S
(JBAC118S)
691991001321

JBL AE Series-18" Subwoofer with 75mm (3 in) voice coil. (Priced as each)

1.340,00



AC118S-WH
(JBAC118S-WH)
691991005015

JBL AE Series-18" Subwoofer with 75mm (3 in) voice coil. (Priced as each) WHITE

1.340,00












AC15
(JBAC15)
691991010569

JBL AE Series-Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-15. Priced as each; Sold as 2 per carton.

556,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 AC15-WH (JBAC15-WH) 691991010576	JBL AE Series-Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-15. White finish. Priced as each; Sold as 2 per carton.	556,00
 AC16 (JBAC16) 691991010583	JBL AE Series-Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-16.	1.121,00
 AC16-WH (JBAC16-WH) 691991010590	JBL AE Series-Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-16. White finish.	1.121,00
 AC18/26 (JBAC18-26) 691991010613	JBL AE Series-Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18.	1.372,00
 AC18/26-WH (JBAC18-26-WH) 691991010620	JBL AE Series-Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18. White finish.	1.372,00
 AC18/95 (JBAC18-95) 691991002113	JBL AE Series-Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18.	1.372,00
 AC18/95-WH (JBAC18-95-WH) 691991002106	JBL AE Series-Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18. White finish.	1.372,00
 AC195 (JBAC195) 691991001260	JBL AE Series-10" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each.	1.058,00
 AC195-WH (JBAC195-WH) 691991004315	JBL AE Series-10" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each. *NEW*	1.058,00







Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 AC2215/64 (JBAC2215-64) 691991010798	JBL AE Series-Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.	775,00
 AC25 (JBAC25) 691991010842	JBL AE Series-Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-25.	1.036,00
 AC25-WH (JBAC25-WH) 691991010859	JBL AE Series-Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-25. White finish.	1.036,00
 AC26 (JBAC26)	JBL AE Series-Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-26.	1.599,00
 AC266 (JBAC266) 691991001277	JBL AE Series-12" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each.	1.199,00
 AC266-WH (JBAC266-WH) 691991004261	JBL AE Series-12" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each. *NEW*	1.199,00
 AC26-WH (JBAC26-WH) 691991000171	JBL AE Series-Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-26. White finish.	1.599,00
 AC28/26 (JBAC28-26) 691991010873	JBL AE Series-Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28.	1.852,00
 AC28/26-WH (JBAC28-26-WH) 691991010880	JBL AE Series-Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28. White finish.	1.852,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 AC28/95 (JBAC28-95) 691991010897	JBL AE Series-Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28.	1.852,00
 AC28/95-WH (JBAC28-95-WH) 691991010903	JBL AE Series-Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28. White finish.	1.852,00
 AC299 (JBAC299) 691991001284	JBL AE Series-12" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each.	1.199,00
AC299-WH (JBAC299-WH) 691991004278	JBL AE Series-12" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each. *NEW*	1.199,00
 AC566 (JBAC566) 691991001291	JBL AE Series-15" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each.	1.340,00
AC566-WH (JBAC566-WH) 691991004285	JBL AE Series-15" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each. *NEW*	1.340,00
 AC599 (JBAC599) 691991001307	JBL AE Series-15" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each.	1.340,00
AC599-WH (JBAC599-WH) 691991004292	JBL AE Series-15" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each. *NEW*	1.340,00
 AC895 (JBAC895) 691991001253	JBL AE Series-8" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2414H-C 25mm (1 in) exit, 25mm (1 in) voice coil. Priced as each.	845,00
AC895-WH (JBAC895-WH) 691991004308	JBL AE Series-8" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2414H-C 25mm (1 in) exit, 25mm (1 in) voice coil. Priced as each. *NEW*	845,00
 AL7115 (JBAL7115) 691991000164	JBL AE Series-High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or White (-WH). Priced as each. Suspension Eyebolts Not Included. Arrays With AM7200 and Mid-High Loudspeakers using PAF-3K Planar Array Frame Kit.	2.239,00










Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
AL7115-WH (JBAL7115-WH) 691991010927	JBL AE Series-High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or White (-WH). Priced as each. Suspension Eyebolts Not Included. Arrays With AM7200 and Mid-High Loudspeakers using PAF-3K Planar Array Frame Kit.	2.239,00
 AM5212/00 (JBAM5212-00) 691991010958	JBL AE Series-Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	2.316,00
 AM5212/00-WH (JBAM5212-00-WH) 691991005046	JBL AE Series-Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	2.316,00
 AM5212/26 (JBAM5212-26) 691991010972	JBL AE Series-Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	2.316,00
 AM5212/26-WH (JBAM5212-26-WH) 691991010989	JBL AE Series-Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	2.316,00
 AM5212/64 (JBAM5212-64) 691991011016	JBL AE Series-Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	2.316,00
 AM5212/64-WH (JBAM5212-64-WH) 691991011023	JBL AE Series-Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	2.316,00
 AM5212/66 (JBAM5212-66) 691991005329	JBL AE Series-Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	2.316,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>AM5212/66-WH (JBAM5212-66-WH) 691991005312</p>	JBL AE Series-Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	2.316,00
 <p>AM5212/95 (JBAM5212-95) 691991011061</p>	JBL AE Series-Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	2.316,00
 <p>AM5212/95-WH (JBAM5212-95-WH) 691991011078</p>	JBL AE Series-Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	2.316,00
 <p>AM5215/26 (JBAM5215-26) 691991011092</p>	JBL AE Series-Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.	2.444,00
 <p>AM5215/26-WH (JBAM5215-26-WH) 691991011108</p>	JBL AE Series-Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	2.444,00
 <p>AM5215/64 (JBAM5215-64) 691991011122</p>	JBL AE Series-Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1	2.444,00
 <p>AM5215/64-WH (JBAM5215-64-WH) 691991011139</p>	JBL AE Series-Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	2.444,00







Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 AM5215/66 (JBAM5215-66) 691991011160	JBL AE Series-Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.	2.444,00
 AM5215/66-WH (JBAM5215-66-WH) 691991011177	JBL AE Series-Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	2.444,00
 AM5215/95 (JBAM5215-95) 691991011207	JBL AE Series-Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.	2.444,00
 AM5215/95-WH (JBAM5215-95-WH) 691991000287	JBL AE Series-Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	2.444,00
 AM7212/00 (JBAM7212-00) 691991011283	JBL AE Series-High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	3.481,00
 AM7212/00-WH (JBAM7212-00-WH) 691991011290	JBL AE Series-High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	3.481,00
 AM7212/26 (JBAM7212-26) 691991011306	JBL AE Series-High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	3.481,00
 AM7212/26-WH (JBAM7212-26-WH) 691991011313	JBL AE Series-High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	3.481,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>AM7212/64 (JBAM7212-64) 691991011344</p>	JBL AE Series-High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	3.481,00
<p>AM7212/64-WH (JBAM7212-64-WH) 691991011351</p>	JBL AE Series-High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	3.481,00
 <p>AM7212/66 (JBAM7212-66) 691991011382</p>	JBL AE Series-High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	3.481,00
<p>AM7212/66-WH (JBAM7212-66-WH) 691991011399</p>	JBL AE Series-High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	3.481,00
 <p>AM7212/95 (JBAM7212-95) 691991011429</p>	JBL AE Series-High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	3.481,00
<p>AM7212/95-WH (JBAM7212-95-WH) 691991007538</p>	JBL AE Series-High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	3.481,00
 <p>AM7215/26 (JBAM7215-26) 691991011443</p>	JBL AE Series-High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.	3.656,00
<p>AM7215/26-WH (JBAM7215-26-WH) 691991011450</p>	JBL AE Series-High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	3.656,00










Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>AM7215/64 (JBAM7215-64) 691991011467</p>	<p>JBL AE Series-High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1</p>	3.656,00
<p>AM7215/64-WH (JBAM7215-64-WH) 691991011474</p>	<p>JBL AE Series-High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.</p>	3.656,00
 <p>AM7215/66 (JBAM7215-66) 691991011498</p>	<p>JBL AE Series-High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.</p>	3.656,00
<p>AM7215/66-WH (JBAM7215-66-WH) 691991011504</p>	<p>JBL AE Series-High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.</p>	3.656,00
 <p>AM7215/95 (JBAM7215-95) 691991011535</p>	<p>JBL AE Series-High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.</p>	3.656,00
<p>AM7215/95-WH (JBAM7215-95-WH) 691991011542</p>	<p>JBL AE Series-High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.</p>	3.656,00
 <p>AM7315/64 (JBAM7315-64) 691991011559</p>	<p>JBL AE Series-High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.</p>	5.194,00
<p>AM7315/64-WH (JBAM7315-64-WH) 691991011566</p>	<p>JBL AE Series-High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.</p>	5.194,00









Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 AM7315/95 (JBAM7315-95) 691991011597	JBL AE Series-High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	5.194,00
AM7315/95-WH (JBAM7315-95-WH) 691991011603	JBL AE Series-High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	5.194,00
 ASB4128 (JBASB4128) 691991011627	JBL AE Series-Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Priced as each. Suspension Eyebolts Not Included.	3.474,00
 ASB6112 (JBASB6112) 691991011665	JBL AE Series-Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black or White. Priced as each.	1.980,00
 ASB6112-WH (JBASB6112-WH) 691991011672	JBL AE Series-Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	1.980,00
 ASB6115 (JBASB6115) 691991011689	JBL AE Series-Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.	2.239,00
 ASB6115-WH (JBASB6115-WH) 691991004032	JBL AE Series-Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	2.239,00
 ASB6118 (JBASB6118) 691991011702	JBL AE Series-High Power Single 18" Subwoofer. 1 x 18" 2242H VGCT™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit. Priced as each.	2.888,00
ASB6118-WH (JBASB6118-WH) 691991011719	JBL AE Series-High Power Single 18" Subwoofer. 1 x 18" 2242H VGCT™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit. White finish. Priced as each.	2.888,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 ASB6125 (JBASB6125) 691991011733	JBL AE Series-Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.	3.518,00
ASB6125-WH (JBASB6125-WH) 691991011740	JBL AE Series-Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	3.518,00
 ASB6128 (JBASB6128) 691991011764	JBL AE Series-High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6340 and AM4340 Loudspeakers Using PAF-2K Planar Array Frame Kit. Priced as each.	4.545,00
 ASB7118 (JBASB7118) 691991011801	JBL AE Series-Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.	4.318,00
ASB7118-WH (JBASB7118-WH) 691991011818	JBL AE Series-Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	4.318,00
 ASB7128 (JBASB7128) 691991011832	JBL AE Series-Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.	7.577,00
ASB7128-WH (JBASB7128-WH) 691991011849	JBL AE Series-Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	7.577,00
 AW266 (JBAW266) 691991014185	JBL AE Series-High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-GRAY. Priced as each.	4.675,00
 AW266-BK (JBAW266-BK) 691991014192	JBL AE Series-High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-BLACK. Priced as each.	4.675,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 AW266-LS (JBAW266-LS) 691991014208	JBL AE Series-12" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	4.675,00
 AW266-LS-BK (JBAW266-LS-BK) 691991014215	JBL AE Series-12" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	4.675,00
 AW295 (JBAW295) 691991014222	JBL AE Series-High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-GRAY. Priced as each.	4.675,00
 AW295-BK (JBAW295-BK) 691991014239	JBL AE Series-High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-BLACK. Priced as each.	4.675,00
 AW295-LS (JBAW295-LS) 691991014246	JBL AE Series-12" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	4.675,00
 AW526 (JBAW526) 691991014260	JBL AE Series-High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-GRAY. Priced as each.	5.057,00
 AW526-BK (JBAW526-BK) 691991014277	JBL AE Series-High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-BLACK. Priced as each.	5.057,00
 AW526-LS (JBAW526-LS) 691991014284	JBL AE Series-15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	5.057,00
 AW526-LS-BK (JBAW526-LS-BK) 691991014291	JBL AE Series-15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	5.057,00










Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 AW566 (JBAW566) 691991014307	JBL AE Series-High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-GRAY. Priced as each.	5.057,00
 AW566-BK (JBAW566-BK) 691991014314	JBL AE Series-High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-BLACK. Priced as each.	5.057,00
 AW566-LS (JBAW566-LS) 691991014321	JBL AE Series-15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	5.057,00
 AW566-LS-BK (JBAW566-LS-BK) 691991014338	JBL AE Series-15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	5.057,00
 AW595 (JBAW595) 691991014345	JBL AE Series-High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-GRAY. Priced as each.	5.057,00
 AW595-BK (JBAW595-BK) 691991014352	JBL AE Series-High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-BLACK. Priced as each.	5.057,00
 AW595-LS (JBAW595-LS) 691991014369	JBL AE Series-15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	5.057,00
 AW595-LS-BK (JBAW595-LS-BK) 691991014376	JBL AE Series-15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	5.057,00
 AWC129 (JBAWC129)	JBL Surface-Mounted Speaker-12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 300 mm (12 in) Kevlar- reinforced woofer with 75 mm (3 in) voice coil and 25 mm (1 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 400 Watt power handling (1600 W peaks), 55 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8? low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	1.352,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>AWC129-BK (JBABC129-BK)</p>	JBL Surface-Mounted Speaker-12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 300 mm (12 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 25 mm (1 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 400 Watt power handling (1600 W peaks), 55 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8Ω low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	1.352,00
 <p>AWC159 (JBABC159)</p>	JBL Surface-Mounted Speaker-15" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 380 mm (15 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 38 mm (1.5 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 500 Watt power handling (2000 W peaks), 52 Hz - 20 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	2.012,00
 <p>AWC159-BK (JBABC159-BK)</p>	JBL Surface-Mounted Speaker-15" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 380 mm (15 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 38 mm (1.5 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 500 Watt power handling (2000 W peaks), 52 Hz - 20 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	2.012,00
 <p>AWC15LF (JBABC15LF)</p>	JBL Surface-Mounted Speaker-15" All-Weather Compact Low Frequency Loudspeaker. 380 mm (15 in) Kevlar-reinforced cone with 75 mm (3 in) voice coil. Designed to extend low frequency response of a sound system. 500 Watt power handling (2000 W peaks), 45 Hz - 2.2 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	1.527,00
 <p>AWC15LF-BK (JBABC15LF-BK)</p>	JBL Surface-Mounted Speaker-15" All-Weather Compact Low Frequency Loudspeaker. 380 mm (15 in) Kevlar-reinforced cone with 75 mm (3 in) voice coil. Designed to extend low frequency response of a sound system. 500 Watt power handling (2000 W peaks), 45 Hz - 2.2 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	1.527,00
 <p>AWC62 (JBABC62) 691991006012</p>	JBL Surface-Mounted Speaker-6.5" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 165mm (6.5in) Kevlar-reinforced woofer and 25 mm (1 in) compression driver with high-temp polymer diaphragm. Extraordinary clarity for speech, with extended frequency response for music. 175 Watt power handling (700 Watt peaks), 100 Hz - 16 kHz frequency range, overload protection, 120 Watt 70V/100V multi-tap or direct 8R low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	529,00
 <p>AWC62-BK (JBABC62-BK) 691991006029</p>	JBL Surface-Mounted Speaker-6.5" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 165mm (6.5in) Kevlar-reinforced woofer and 25 mm (1 in) compression driver with high-temp polymer diaphragm. Extraordinary clarity for speech, with extended frequency response for music. 175 Watt power handling (700 Watt peaks), 100 Hz - 16 kHz frequency range, overload protection, 120 Watt 70V/100V multi-tap or direct 8R low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	529,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>AWC82 (JBAWC82)</p>	JBL Surface-Mounted Speaker-8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 200 mm (8 in) Kevlar-reinforced woofer and 25 mm (1 in) compression driver with high-temp polymer diaphragm. Excellent clarity with extended frequency response. 250 Watt power handling (1000 Watt peaks), 80 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8? low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	722,00
 <p>AWC82-BK (JBAWC82-BK)</p>	JBL Surface-Mounted Speaker-8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 200 mm (8 in) Kevlar-reinforced woofer and 25 mm (1 in) compression driver with high-temp polymer diaphragm. Excellent clarity with extended frequency response. 250 Watt power handling (1000 Watt peaks), 80 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8? low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	722,00
 <p>Control 1 PRO (JBC1PRO) 050036903455</p>	JBL Control Series-Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet, Black. Priced as Each. Packaged and sold in pairs.	76,00
 <p>Control 1 PRO-WH (JBC1PRO-WH)</p>	JBL Control Series-Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet, White. Priced as Each. Packaged and sold in pairs.	76,00
 <p>C24CT-BK (JBC24CT-BK)</p>	JBL Ceiling Speaker-Control 24CT in Black. 4" two-way vented ceiling speaker, 80 Hz - 20 kHz, 86 dB sensitivity, 80W program and 40W pink noise power, for use on a 70.7V or 100V distributed line, switchable taps at 30W, 15W and 7.5W (plus 37W at 70.7V only, 130° coverage, packaged with backcan, grille, support plate and tile rails. (priced as each, sold in pairs).	184,00
 <p>C24CT MICROPLUS (JBC24CTMICROPLUS) 050036905053</p>	JBL Ceiling Speaker-Medium Output Ceiling Speaker Assembly. Complete Assembly Includes Backcan, Grille and Tile Rails. Very Wide 150° Coverage. Shallow 100 mm (4 in) Depth. 70V/100V Input Transformers with Taps at 25W and 12W (Plus 6W at 70V Only). Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	168,00
 <p>Control 25AV-LS (JBC25AV-LS)</p>	JBL Control Series-Premium 5.25" two-way, EN54-24 certified / UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille, UL1480/UUMW rated, 110 x 85 coverage, 200W program power, 70V/100V taps at 60W, 30W, 15W (7.5W @ 70V only), See spec sheet for details of UL listing, MTC-PC included, black (priced as each, sold in pairs).	313,00
 <p>Control 25AV-LS-WH (JBC25AV-LS-WH)</p>	JBL Control Series-Premium 5.25" two-way, EN54-24 certified UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille, UL1480/UUMW rated, 110 x 85 coverage, 200W program power, 70V/100V taps at 60W, 30W, 15W (7.5W @ 70V only), See spec sheet for details of UL listing, MTC-PC included, black (priced as each, sold in pairs),. in white	313,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 Control 29AV-1 (JBC29AV-1)	JBL Control Series-High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps at 110W, 55W, & 28W (and 14W at 70V) plus 8 ohm Thru. 110° x 80° Coverage with Rotatable Horn. Built-In Invisibal® Installation System plus Ten M6 Suspension Points. Kevlar Cone Woofer and Titanium Compression Driver. Includes Sonicguard(tm) Overload Protection. Includes MTC-PC2 Sealed-Entrance Panel Cover. (Priced and Packed as Each)	633,00
 Control 29AV-WH-1 (JBC29AV-WH-1)	JBL Control Series-High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps at 110W, 55W, & 28W (and 14W at 70V) plus 8 ohm Thru. 110° x 80° Coverage with Rotatable Horn. Built-In Invisibal® Installation System plus Ten M6 Suspension Points. Kevlar Cone Woofer and Titanium Compression Driver. Includes Sonicguard(tm) Overload Protection. Includes MTC-PC2 Sealed-Entrance Panel Cover, in White. (Priced and Packed as Each).	633,00
 C50PACK (JBC50PACK) 050036905213	JBL Control Series-Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc Control 50S/T and 4 pcs Control 52, 30 – 20 kHz response, 100W, selectable 70V/100V or 4 ohms, wall-mount brackets included, black. (each pack contains 1 subwoofer + 4 satellites)	824,00
 C50PACK-WH (JBC50PACK-WH) 050036905251	JBL Control Series-Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc Control 50S/T and 4 pcs Control 52, 30 – 20 kHz response, 100W, selectable 70V/100V or 4 ohms, wall-mount brackets included, black or white. (each pack contains 1 subwoofer + 4 satellites), in white	824,00
 Control 60PS/T (JBC60PS-T) 050036904889	JBL Control Series-High impact, 150 Watt direct radiating pendant subwoofer with built-in passive crossover for up to four satellite speakers. 200 mm (8 in) long-excursion driver. 8 ohm (150 Watt) and 70V/100V (100 Watt) operation. Hanging hardware with 4.5 m (15 foot) galvanized steel cable and easy to adjust clamp. Stylish design, available in black or white (-WH). UL listed (speaker and hanging cable system).(priced as each; sold in pairs).	577,00
 Control 60PS/T-WH (JBC60PS-T-WH) 691991000263	JBL Control Series-High impact, 150 Watt direct radiating pendant subwoofer with built-in passive crossover for up to four satellite speakers. 200 mm (8 in) long-excursion driver. 8 ohm (150 Watt) and 70V/100V (100 Watt) operation. Hanging hardware with 4.5 m (15 foot) galvanized steel cable and easy to adjust clamp. Stylish design, available in black or white (-WH). UL listed (speaker and hanging cable system).(priced as each; sold in pairs).	577,00
 Control 62P (JBC62P)	JBL Control Series-Ultra-Compact Mid-High Satellite Pendant Speaker. 2" driver, ideal for speech and mid-high music and for visually sensitive applications. Add up to 4 pics on a Control 50S/T (or 40 CS/T) subwoofer for full-range, 20W, 16 ohms, redundant suspension cable system included (priced as each; sold in pairs).	152,00
 Control 62P-WH (JBC62P-WH)	JBL Control Series-Ultra-Compact Mid-High Satellite Pendant Speaker. 2" driver, ideal for speech and mid-high music and for visually sensitive applications. Add up to 4 pics on a Control 50S/T (or 40 CS/T) subwoofer for full-range, 20W, 16 ohms, redundant suspension cable system included (priced as each; sold in pairs), in white	152,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>Control 64P/T (JBC64P-T) 691991004230</p>	JBL Control Series-Compact Full-Range Pendant Speaker. 4" (100 mm) driver with polypropylene cone, 120 degree conical coverage, 50 Watts Cont. Pink Noise Power Handling (200W peak) at 8 ohms, plus 30W 70V/100V multi-tap transformer, redundant suspension cable system included. Black. Priced as each, sold and packaged in pairs.	250,00
 <p>Control 64P/T-WH (JBC64P-T-WH) 691991004247</p>	JBL Control Series-Compact Full-Range Pendant Speaker. 4" (100 mm) driver with polypropylene cone, 120 degree conical coverage, 50 Watts Cont. Pink Noise Power Handling (200W peak) at 8 ohms, plus 30W 70V/100V multi-tap transformer, redundant suspension cable system included. White (-WH). Priced as each, sold and packaged in pairs.	250,00
 <p>Control 65P/T (JBC65P-T)</p>	JBL Control Series-Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms, plus 10W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each sold in pairs).	336,00
 <p>Control 65P/T-WH (JBC65P-T-WH)</p>	JBL Control Series-Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms, plus 10W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each sold in pairs), in white.	336,00
 <p>Control 67HC/T (JBC67HC-T)</p>	JBL Control Series-Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with narrow 75 degree conical coverage, true coax, excellent clarity in high-ceiling installs and reverberant spaces, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs).	572,00
 <p>Control 67HC/T-WH (JBC67HC-T-WH)</p>	JBL Control Series-Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with narrow 75 degree conical coverage, true coax, excellent clarity in high-ceiling installs and reverberant spaces, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs), in white.	572,00
 <p>Control 67P/T (JBC67P-T)</p>	JBL Control Series-Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs).	486,00
 <p>Control 67P/T-WH (JBC67P-T-WH) 050036903905</p>	JBL Control Series-Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs), in white.	486,00










Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>Control 68HP (JBC68HP) 691991039331</p>	<p>JBL Control Series-Coaxial design featuring: 200 mm (8 in) Kevlar™ reinforced woofer with 50 mm (2 in) voice coil, 25 mm (1.0 in) titanium-dome compression driver, High power capability of 250 Watts (1000W peak) and high SPL of 114 dB (120 dB peak)</p> <p>Hanging hardware with 4.5 m (15 foot) galvanized steel cable and easy to adjust clamp, Stylish design available in black or white, UL listed speaker and hanging cable system, 8 ohm and 70V/100V operation, Extremely consistent constant-directivity 110° conical coverage</p>	612,00
 <p>Control 68HP-WH (JBC68HP-WH) 691991039324</p>	<p>JBL Control Series-Coaxial design featuring: 200 mm (8 in) Kevlar™ reinforced woofer with 50 mm (2 in) voice coil, 25 mm (1.0 in) titanium-dome compression driver, High power capability of 250 Watts (1000W peak) and high SPL of 114 dB (120 dB peak)</p> <p>Hanging hardware with 4.5 m (15 foot) galvanized steel cable and easy to adjust clamp, Stylish design available in black or white, UL listed speaker and hanging cable system, 8 ohm and 70V/100V operation, Extremely consistent constant-directivity 110° conical coverage</p>	612,00
 <p>CBT 1000-WH (JBCBT1000) 691991005688</p>	<p>JBL Column Speakers-High-Output Two-Way Line Array Column with Highly Adjustable Vertical Coverage and Tapered Horizontal Waveguide. Six (6) 165 mm (6-1/2 in) high-excursion LF drivers and twenty-four (24) 25 mm (1 in) extra-high-power soft dome tweeters. Constant Beamwidth Technology, switchable between 4 "pattern up" and 4 "pattern down" vertical coverages (for total of 16 settings, music (flat)/speech switch, 4 ohms, 45 Hz – 20 kHz, 1500W cont pink (6000W peak), two-part wall bracket included. Black. (Priced and sold individually). WHITE</p>	3.677,00
 <p>CBT 1000E (JBCBT1000E) 691991005701</p>	<p>JBL Column Speakers-Extension for CBT 1000 Line Array, six (6) 165 mm (6-1/2") high-excursion LF drivers, 1500W cont pink noise (6000 W peak), 8 ohms (note CBT1000+1000E is a 4 ohm system), linking coupler bracket included, 100 cm tall for 200 cm tall CBT 1000+E array, connect CBT1000 and CBT1000E in parallel. Combined with CBT 1000, system response is 38 Hz – 20 kHz with well controlled pattern to 200 Hz. (priced and sold individually).</p>	2.012,00
 <p>CBT 1000E-WH (JBCBT1000E-WH) 691991005718</p>	<p>JBL Column Speakers-Extension for CBT 1000 Line Array, six (6) 165 mm (6-1/2") high-excursion LF drivers, 1500W cont pink noise (6000 W peak), 8 ohms (note CBT1000+1000E is a 4 ohm system), linking coupler bracket included, 100 cm tall for 200 cm tall CBT 1000+E array, connect CBT1000 and CBT1000E in parallel. Combined with CBT 1000, system response is 38 Hz – 20 kHz with well controlled pattern to 200 Hz. (priced and sold individually). WHITE</p>	2.012,00
 <p>CBT 100LA-1 (JBCBT100LA-1)</p>	<p>JBL Column Speakers-Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually) .</p>	1.316,00
 <p>CBT 100LA-1-WH (JBCBT100LA-1-WH)</p>	<p>JBL Column Speakers-Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually). WHITE</p>	1.316,00
 <p>CBT 100LA-LS (JBCBT100LA-LS) 691991000119</p>	<p>JBL Column Speakers-(EN54 Life/Safety) Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually).</p>	1.430,00









Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 CBT 100LA-LS-WH (JBCBT100LA-LS-WH) 691991000126	JBL Column Speakers-(EN54 Life/Safety) Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually). WHITE	1.430,00
 CBT 200LA-1 (JBCBT200LA-1)	JBL Column Speakers-200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column with Thirty-Two 50 mm (2 in) Drivers. Patented CBT Technology for true constant directivity & reduced lobing. Extended pattern control. Selectable vertical pattern ? 30° or 15° for medium or long-throw. Asymmetrical Progressive-Gradient vertical coverage setting directs more sound toward far areas. Dynamic Sonic-Guard™ low-audibility overload protection. Swivel (pan) / tilt wall bracket included 70V/100V transformer (each module, for 120W + 120W), plus direct capability. Available black or white (-WH). Sold and packed as each -- carton includes top and bottom speaker modules and coupling plate, which comprise one CBT 200LA-1 column, plus wall bracket	3.074,00
 CBT 200LA-1-WH (JBCBT200LA-1-WH)	JBL Column Speakers-200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column with Thirty-Two 50 mm (2 in) Drivers. Patented CBT Technology for true constant directivity & reduced lobing. Extended pattern control. Selectable vertical pattern ? 30° or 15° for medium or long-throw. Asymmetrical Progressive-Gradient vertical coverage setting directs more sound toward far areas. Dynamic Sonic-Guard™ low-audibility overload protection. Swivel (pan) / tilt wall bracket included 70V/100V transformer (each module, for 120W + 120W), plus direct capability. Available black or white (-WH). Sold and packed as each -- carton includes top and bottom speaker modules and coupling plate, which comprise one CBT 200LA-1 column, plus wall bracket	3.074,00
 CBT 50LA-1 (JBCBT50LA-1)	JBL Column Speakers-50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music (flat)/speech switch, 60W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 150W cont pink (600W peak), wall bracket included. (priced and sold individually)	633,00
 CBT 50LA-1-WH (JBCBT50LA-1-WH)	JBL Column Speakers-50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music (flat)/speech switch, 60W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 150W cont pink (600W peak), wall bracket included. (priced and sold individually)	633,00
 CBT 50LA-LS (JBCBT50LA-LS) 691991011870	JBL Column Speakers-50CM Tall Column Speaker, EN54 1 per carton, 1 per Masterpack	757,00
 CBT 50LA-LS-WH (JBCBT50LA-LS-WH) 691991011887	JBL Column Speakers-50CM Tall Column Speaker, WHITE ,EN54 1 per carton, 1 per Masterpack	757,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 CBT 70J-1 (JBCBT70J-1)	JBL Column Speakers-70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth Technology, switchable 45° or 25° vertical coverage, music (flat)/speech switch, 8 ohms, 60 Hz – 20 kHz, 500W cont pink (2000W peak), wall bracket included. (priced and sold individually). New in -1 version: Included wall bracket adjusts for SWIVEL (pan) as well as tilt aiming, for increased aiming versatility. Thicker, stronger grille which is more robust for use in temporary special event applications.	1.730,00
 CBT 70J-1-WH (JBCBT70J-1-WH)	JBL Column Speakers-70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth Technology, switchable 45° or 25° vertical coverage, music (flat)/speech switch, 8 ohms, 60 Hz – 20 kHz, 500W cont pink (2000W peak), wall bracket included. (priced and sold individually). New in -1 version: Included wall bracket adjusts for SWIVEL (pan) as well as tilt aiming, for increased aiming versatility. Thicker, stronger grille which is more robust for use in temporary special event applications. WHITE	1.730,00
 CBT 70JE-1 (JBCBT70JE-1) 691991011894	JBL Column Speakers-70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W continuous pink noise, 8 ohms, linking bracket included, 70 cm tall for 140 cm tall CBT 70J-1/JE-1 array, connect 70J-1 and 70JE-1 in parallel. (priced and sold individually). Combined with CBT 70J-1, system response is 45 Hz – 20 kHz with well controlled pattern to 250 Hz.	981,00
 CBT 70JE-1-WH (JBCBT70JE-1-WH) 691991011900	JBL Column Speakers-70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W continuous pink noise, 8 ohms, linking bracket included, 70 cm tall for 140 cm tall CBT 70J-1/JE-1 array, connect 70J-1 and 70JE-1 in parallel. (priced and sold individually). Combined with CBT 70J-1, system response is 45 Hz – 20 kHz with well controlled pattern to 250 Hz. WHITE	981,00
 COL600-BK (JBCOL600-BK) 691991039270	JBL Column Speakers-24-Inch Column Speaker, two 5" x 2¼" LF & 1.0" HF, 10° downward-tilt aim, 160° x 110° coverage, 80W cont pink-noise power handling (2 hr), 70 - 20k Hz frequency response, 20W transformer w 8 direct, 111 dB peak SPL, (2) L-brackets + swivel/tilt wall bracket. Black (RAL9004). (Priced and sold as each)	383,00
 COL600-WH (JBCOL600-WH) 691991039287	JBL Column Speakers-24-Inch Column Speaker, two 5" x 2¼" LF & 1.0" HF, 10° downward-tilt aim, 160° x 110° coverage, 80W cont pink-noise power handling (2 hr), 70 - 20k Hz frequency response, 20W transformer w 8 direct, 111 dB peak SPL, (2) L-brackets + swivel/tilt wall bracket. White (RAL9016). (Priced and sold as each)	383,00
 COL800-BK (JBCOL800-BK) 691991039263	JBL Column Speakers-32-Inch Column Speaker, four 5" x 2¼" LF & (2) 0.8" HF, 10° downward-tilt aim, 160° x 60° coverage, 150W cont pink-noise power handling (2 hr), 85 - 20k Hz frequency response, 60W transformer w 8 direct, 116 dB peak SPL, (2) L-brackets + swivel/tilt wall bracket. Black (RAL9004). (Priced and sold as each)	530,00
 COL800-WH (JBCOL800-WH) 691991039294	JBL Column Speakers-32-Inch Column Speaker, four 5" x 2¼" LF & (2) 0.8" HF, 10° downward-tilt aim, 160° x 60° coverage, 150W cont pink-noise power handling (2 hr), 85 - 20k Hz frequency response, 60W transformer w 8 direct, 116 dB peak SPL, (2) L-brackets + swivel/tilt wall bracket. White (RAL9016). (Priced and sold as each)	530,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 CONTROL 126WT (JBCONTROL126W)	JBL Control Series-Control 126W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 30W, 15W, and 7.5W (Plus 3.7W at 70V Only). (Priced as Each, Sold in Pairs).	249,00
 CONTROL 128W (JBCONTROL128W)	JBL Control Series-Premium Quality In-Wall Two-Way Loudspeaker with 8" (200 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure Butyl Rubber Surround, Low-Diffraction Swivel Aimable Titanium Tweeter. High-Slope Crossover Network, Paintable, 102 mm (4 in) Depth (For Wallboard Plus Stud). 90 dB Sensitivity, 60 Watts RMS (120W Program/240W Peak), 30 Hz to 20 kHz Frequency Response.	307,00
 CONTROL 128WT (JBCONTROL128WT)	JBL Control Series-Control 128W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 50W, 25W, and 12W (Plus 6W at 70V Only). (Priced as Each, Sold in Pairs).	336,00
 CONTROL 12C/T (JBCONTROL12C-T) 050036904537	JBL Ceiling Speaker-Compact Ceiling Loudspeaker with 76 mm (3 in) Full-Range Driver. 68 Hz – 17 kHz bandwidth, wide 130° coverage, 84 dB sensitivity Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 15 W multi-tap transformer at 70V/100V and 8? direct setting (20 W). Low profile backcan for shallow ceilings. White. Sold as each, packed in pairs. International master pack is 2 speakers.	108,00
 CONTROL 12C/T-BK (JBCONTROL12C-T-BK)	JBL Ceiling Speaker-Compact Ceiling Loudspeaker with 76 mm (3 in) Full-Range Driver. 68 Hz – 17 kHz bandwidth, wide 130° coverage, 84 dB sensitivity Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 15 W multi-tap transformer at 70V/100V and 8? direct setting (20 W). Low profile backcan for shallow ceilings. Black. Sold as each, packed in pairs. International master pack is 2 speakers.	108,00
 CONTROL 12C-VA (JBCONTROL12C-VA) 691991000829	JBL Ceiling Speaker-EN54 Certified and BS5839/8 version of JBL Control 12C/T blind mount ceiling speaker. Compact Ceiling Loudspeaker with 75 mm (3 in) Full-Range Driver. 68 Hz – 17 kHz bandwidth, wide 130° coverage, 84 dB sensitivity Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 15 W multi-tap transformer at 70V/100V and 8? direct setting (20 W). Low profile backcan for shallow ceilings. White. Sold as each, packed in pairs. International master pack is 2 speakers.	115,00
 CONTROL 14C/T (JBCONTROL14C-T)	JBL Ceiling Speaker-Two-Way 100 mm (4 in) Co-axial Ceiling Loudspeaker. 100 mm (4 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 74 Hz – 20 kHz bandwidth, wide 120° coverage, 87 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 25 W multi-tap transformer at 70V/100V and 8? direct setting (30 W). White. Sold as each, packed in pairs. International master pack is 2 speakers.	150,00
 CONTROL 14C/T-BK (JBCONTROL14C-T-BK)	JBL Ceiling Speaker-Two-Way 100 mm (4 in) Co-axial Ceiling Loudspeaker. 100 mm (4 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 74 Hz – 20 kHz bandwidth, wide 120° coverage, 87 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 25 W multi-tap transformer at 70V/100V and 8? direct setting (30 W). Black. Sold as each, packed in pairs. International master pack is 2 speakers.	150,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>CONTROL 14C-VA (JBCONTROL14C-VA) 691991000836</p>	<p>JBL Ceiling Speaker-EN54 Certified and BS5839/8 version of JBL Control 14C/T blind mount ceiling speaker. Two-Way 100 mm (4 in) Co-axial Ceiling Loudspeaker. 100 mm (4 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 74 Hz – 20 kHz bandwidth, wide 120° coverage, 87 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 25 W multi-tap transformer at 70V/100V and 8? direct setting (30 W). White. Sold as each, packed in pairs. International master pack is 2 speakers.</p>	158,00
 <p>CONTROL 16C/T (JBCONTROL16C-T)</p>	<p>JBL Ceiling Speaker-Two-Way 165 mm (6.5 in) Co-axial Ceiling Loudspeaker. 165 mm (6.5 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 62 Hz – 20 kHz bandwidth, 110° coverage, high 91 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 30 W multi-tap transformer at 70V/100V and 8? direct setting (50 W). White. Sold as each, packed in pairs. International master pack is 2 speakers.</p>	193,00
 <p>CONTROL 16C/T-BK (JBCONTROL16C-T-BK) 050036904582</p>	<p>JBL Ceiling Speaker-Two-Way 165 mm (6.5 in) Co-axial Ceiling Loudspeaker. 165 mm (6.5 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 62 Hz – 20 kHz bandwidth, 110° coverage, high 91 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 30 W multi-tap transformer at 70V/100V and 8? direct setting (50 W). Black. Sold as each, packed in pairs. International master pack is 2 speakers.</p>	193,00
 <p>CONTROL 16C-VA (JBCONTROL16C-VA) 691991000843</p>	<p>JBL Ceiling Speaker-EN54 Certified and BS5839/8 version of JBL Control 16C/T blind mount ceiling speaker. Two-Way 165 mm (6.5 in) Co-axial Ceiling Loudspeaker. 165 mm (6.5 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 62 Hz – 20 kHz bandwidth, 110° coverage, high 91 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 30 W multi-tap transformer at 70V/100V and 8? direct setting (50 W). Sold as each, packed in pairs. International master pack is 2 speakers. WHITE.</p>	200,00
 <p>CONTROL 18C/T (JBCONTROL18C-T) 691991004728</p>	<p>JBL Ceiling Speaker-Two-Way 200 mm (8 in) Co-axial Ceiling Loudspeaker. 8 inch high output driver with polypropylene cone and butyl rubber surround and 25 mm (1 in) soft-dome liquid-cooled tweeter, 58 Hz – 20 kHz bandwidth, focused 90° coverage, high 92 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. 60 W multi-tap transformer at 70V/100V and 8? direct setting for 90 Watts (260W peak). White. Sold as each, packed in pairs. Master pack = 2 speakers.</p>	265,00
 <p>CONTROL 18C/T-BK (JBCONTROL18C-T-BK) 691991004735</p>	<p>JBL Ceiling Speaker-Two-Way 200 mm (8 in) Co-axial Ceiling Loudspeaker. 8 inch high output driver with polypropylene cone and butyl rubber surround and 25 mm (1 in) soft-dome liquid-cooled tweeter, 58 Hz – 20 kHz bandwidth, focused 90° coverage, high 92 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. 60 W multi-tap transformer at 70V/100V and 8? direct setting for 90 Watts (260W peak). Black (-BK). Sold as each, packed in pairs. Master pack = 2 speakers.</p>	265,00
 <p>CONTROL 19CST (JBCONTROL19CS)</p>	<p>JBL Ceiling Speaker-Control 19CS with Subwoofer Based Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.</p>	326,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>CONTROL 226C/T (JBCONTROL226C-T)</p>	JBL Ceiling Speaker-6.5" Coax Ceiling Loudspeaker. True-Broadband 120° Coverage. 150 Watts, 47 Hz to 19kHz Frequency Response, 90 dB Sensitivity. 1" Exit Compression Driver. 8 ohms Plus 70V/100V Taps at 60W, 30W, 15W (And 7.5W @ 70V). 13" Round Ported Baffle x 9.7" Deep. (Priced as Each, Sold in Pairs).	474,00
 <p>CONTROL 227CT (JBCONTROL227C)</p>	JBL Ceiling Speaker-Control 227C with Pre-Attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68 W, 34W and 17W (plus 8.5W at 70V only). 12" Round Baffle x 5.8" Deep. (Priced and Sold as Each). UL LISTED	379,00
 <p>Control 23-1 (JBCONTROL23-1) 691991002007</p>	JBL Control Series-3" Two-Way Vented Loudspeaker, Invisibal® Installation System (plus U-bracket attachment points). 70 Hz - 20 kHz Frequency Range. 50 Watts Cont. Pink Noise Power Handling (200W peak) at 8 ohms plus 70V/100V taps at 15W, 7.5W, 3.7W (& 1.8W at 70V only). Woven Fiberglass Woofer. Black. Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	175,00
 <p>CONTROL 23-1L (JBCONTROL23-1L) 691991005091</p>	JBL Control Series-Low-Impedance-Only Version of Control 23-1 (&-WH), without 70V/100V transformer, 8 ohms only.	163,00
 <p>CONTROL 23-1L-WH (JBCONTROL23-1L-WH) 691991005107</p>	JBL Control Series-Low-Impedance-Only Version of Control 23-1, without 70V/100V transformer, 8 ohms only. WHITE	163,00
 <p>CONTROL 23-1-WH (JBCONTROL23-1-WH) 691991002014</p>	JBL Control Series-3" Two-Way Vented Loudspeaker, Invisibal® Installation System (plus U-bracket attachment points). 70 Hz - 20 kHz Frequency Range. 50 Watts Cont. Pink Noise Power Handling (200W peak) at 8 ohms plus 70V/100V taps at 15W, 7.5W, 3.7W (& 1.8W at 70V only). Woven Fiberglass Woofer. Black. Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	175,00
 <p>CONTROL 24C (JBCONTROL24C)</p>	JBL Ceiling Speaker-4" Two-Way Vented Ceiling Speaker, 80Hz - 20kHz, 86dB Sensitivity, 80W Program and 40W Pink Noise Power Capacity, SonicGuard™ Overload Protection, 16 ohms, 130° Coverage, Packaged with Backcan, Grille, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	172,00
 <p>CONTROL 24C MICRO (JBCONTROL24CMICRO)</p>	JBL Ceiling Speaker-4" Two-Way Ceiling Speaker, 15W Pink Noise, 30W Program Power Capacity. 8 ohms, Shallow 4" Back Depth. For Applications with Low Ceilings. Features Extremely Wide 150° coverage. Packaged with Backcan, Grille, Support Bracket and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	109,00
 <p>CONTROL 24CT (JBCONTROL24CT)</p>	JBL Ceiling Speaker-Control 24C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 30W, 15W and 7.5W (Plus 3.7W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	184,00










Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 CONTROL 24CT MICRO (JBCONTROL24CTMICRO) 050036904650	JBL Ceiling Speaker-Control 24C Micro with Transformer. For use on a 70.7V or 100V Distributed Line. Taps are 8W, 4W and 2W, 1W (and 1/2W at 70.7V only). Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	118,00
 Control 25-1 (JBCONTROL25-1) 691991002021	JBL Control Series-5.25" Two-Way Vented Loudspeaker, Invisibal® Installation System (plus U-bracket attachment points). 60 Hz - 20 kHz Frequency Range. 100 Watts Cont. Pink Noise Power Handling (400W peak) at 8 ohms plus 70V/100V taps at 30W, 15W, 7.5W (& 3.7W at 70V only). Woven Fiberglass Woofer. Black or white (-WH). Priced as Each, Packed as Pairs.	235,00
 CONTROL 25-1L (JBCONTROL25-1L) 691991005114	JBL Control Series-Low-Impedance-Only Version of Control 25-1 (&-WH), without 70V/100V transformer, 8 ohms only.	208,00
 CONTROL 25-1L-WH (JBCONTROL25-1L-WH) 691991005121	JBL Control Series-Low-Impedance-Only Version of Control 25-1 (&-WH), without 70V/100V transformer, 8 ohms only. WHITE	208,00
 CONTROL 25-1-WH (JBCONTROL25-1-WH) 691991002038	JBL Control Series-5.25" Two-Way Vented Loudspeaker, Invisibal® Installation System (plus U-bracket attachment points). 60 Hz - 20 kHz Frequency Range. 100 Watts Cont. Pink Noise Power Handling (400W peak) at 8 ohms plus 70V/100V taps at 30W, 15W, 7.5W (& 3.7W at 70V only). Woven Fiberglass Woofer. Black or white (-WH). Priced as Each, Packed as Pairs. WHITE	235,00
 CONTROL 25AV-WH (JBCONTROL25AV)	JBL Control Series-Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor, Stainless Steel Grille, 100° x 100° Coverage, 200 W Program Power, 70V/100V taps of 60W, 30W and 15W (and 7.5 W at 70V), plus 8 ohm Thru, Built-In Invisibal® Installation System, in white. Includes MTC-PC Sealed-Entrance Panel Cover. Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	275,00
 CONTROL 26C (JBCONTROL26C)	JBL Ceiling Speaker-6.5" Two-Way Vented Ceiling Speaker, 75Hz – 20kHz, 89dB Sensitivity, 150W Program and 75W Pink Noise Power Capacity, SonicGuard Overload Protection, 16 Ohms, 100° Coverage, Packaged With Backcan, Grille, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 4 Pieces.	217,00
 CONTROL 26CT (JBCONTROL26CT) 050036904087	JBL Ceiling Speaker-Control 26C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 4 Pieces.	243,00
 CONTROL 26-DT (JBCONTROL26-DT)	JBL Ceiling Speaker-200 mm (8 inch) Ceiling Speaker Transducer Assembly. Driver, Crossover Network and 70V/100V Transformer Assembly. Fits Standard Backcans for 8 Inch Speakers. Backcan must have 5+ inches depth. Coverage of 90°. Taps at 60W, 30W and 15W (Plus 7.5W at 70V Only). 1.9 kg (4.2 lb). Priced as Each, Packed as Pairs. See wb-site for list of compatible backcans and grilles.	158,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>CONTROL 28-1L (JBCONTROL28-1) 691991002045</p>	JBL Control Series-Low-Impedance-Only Version of Control 28-1 (&-WH), without 70V/100V transformer, 8 ohms only.	406,00
 <p>CONTROL 28-1L-WH (JBCONTROL28-1L-WH) 691991005145</p>	JBL Control Series-Control 28-1L in white	380,00
 <p>CONTROL 28-1-WH (JBCONTROL28-1-WH) 691991002052</p>	JBL Control Series-Control 28-1 in white.	406,00
 <p>CONTROL 30 (JBCONTROL30)</p>	JBL Control Series-High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers. Extended Bandwidth, Extremely Smooth Response. Full Outdoor Capability (IP-x5). 38 Hz – 17 kHz. 250 Watts, 93 dB Sensitivity. SonicGuard Overload Protection. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 4 ohm Bypass Position. Compact at 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 20.3 kg (42 lb).	1.075,00
 <p>CONTROL 30-WH (JBCONTROL30-WH)</p>	JBL Control Series-High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers. Extended Bandwidth, Extremely Smooth Response. Full Outdoor Capability (IP-x5). 38 Hz – 17 kHz. 250 Watts, 93 dB Sensitivity. SonicGuard Overload Protection. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 4 ohm Bypass Position. Compact at 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 20.3 kg (42 lb), in White.	1.075,00
 <p>CONTROL 31 (JBCONTROL31) 691991000805</p>	JBL Control Series-Two-Way, High Output Indoor-Outdoor Monitor Loudspeaker with 260mm (10 in) LF and 2414H-C Compression Driver. Extended Bandwidth, Extremely Smooth Response. Outdoor Capability to IP-55. 33 Hz – 19 kHz. 250 Watts, 92 dB Sensitivity. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 8 ohm Bypass Position. 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 18.8 kg (41.5 lb). Priced as Each, Packed as Singles.	963,00
 <p>CONTROL 312CS (JBCONTROL312CS)</p>	JBL Ceiling Speaker-Two-Way, High Output Indoor-Outdoor Monitor Loudspeaker with 260mm (10 in) LF and 2414H-C Compression Driver. Extended Bandwidth, Extremely Smooth Response. Outdoor Capability to IP-55. 33 Hz – 19 kHz. 250 Watts, 92 dB Sensitivity. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 8 ohm Bypass Position. 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 18.8 kg (41.5 lb). Priced as Each, Packed as Singles.	692,00












Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 CONTROL 31-WH (JBCONTROL31-WH) 691991000812	JBL Control Series-Two-Way, High Output Indoor-Outdoor Monitor Loudspeaker with 260mm (10 in) LF and 2414H-C Compression Driver. Extended Bandwidth, Extremely Smooth Response. Outdoor Capability to IP-55. 33 Hz – 19 kHz. 250 Watts, 92 dB Sensitivity. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 8 ohm Bypass Position. 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 18.8 kg (41.5 lb). Priced as Each, Packed as Singles.	963,00
 CONTROL 321CT (JBCONTROL321C)	JBL Ceiling Speaker-Control 321C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W and 17W (Plus 8.5W at 70V Only). 14.4" Square Ported Baffle x 9.5 Deep. EZ-Rail for Ease of Installation. UL LISTED	558,00
 CONTROL 322CT (JBCONTROL322C)	JBL Ceiling Speaker-Control 322C with pre-attached 100 Watt 70V/100V Multi-Tap Transformer. Taps at 100W, 50W & 25W (Plus 12.5W at 70V Only). 14.4" Square Ported Baffle x 9.5" Deep. EZ-Rail for Ease of Installation. UL LISTED	812,00
 CONTROL 328C (JBCONTROL328C)	JBL Ceiling Speaker-8" Coax Ceiling Speaker with 12" Waveguide. Broadband 120° Coverage. 250 Watts, 45 Hz to 18 kHz Frequency Response, 93 dB Sensitivity. 2412H Compression driver. 12" Round Ported Baffle/Waveguide x 6.3" Deep. UL LISTED	453,00
 CONTROL 328CT (JBCONTROL328CT)	JBL Ceiling Speaker-Control 328C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W & 17W (Plus 8.5W at 70V Only). 12" Round Ported Baffle with Waveguide, Depth 8.6". UL LISTED	508,00
 CONTROL 40CS/T (JBCONTROL40CS-T)	JBL Ceiling Speaker-Direct-Radiating In-Ceiling Subwoofer with 8" driver, built-in crossover network with outputs for 2 or 4 pcs of Control 42C satellite speakers, 30 Hz - 300 Hz, 200W program, 100W pink noise, 70V/100V taps at 80W, 40W, 20W (and 10W @ 70V), plus 8 ohm direct, (priced as each, sold in pairs)	556,00
 CONTROL 42C (JBCONTROL42C)	JBL Ceiling Speaker-Ultra-Compact Satellite Speaker for use with Control 40CS/T of 50S/T subwoofer, 140 Hz - 20 kHz, 82 dB sens, 30W program and 15W pink noise, 16 ohm only, 160 degree coverage, Requires external high-pass (from subwoofer crossover or electronic crossover), C-ring included, tile rails optional (priced as each, sold in pairs).	121,00
 CONTROL 45C/T (JBCONTROL45C-T)	JBL Ceiling Speaker-Extremely consistent 120° broadband pattern control featuring JBL's exclusive conical Radiation Boundary Integrator® (RBI™) technology. Very consistent, full-range coverage of listening area while providing a small ceiling footprint. Wide, consistent coverage requires fewer speakers, reducing the cost of the installed system without sacrificing performance. Coaxial design featuring: 130 mm (5.25 in) polypropylene-coated paper cone with butyl rubber surround. 20 mm (.75 in) soft-dome tweeter on 210 mm (8.25 in) diameter wave guide. Bass extension down to 55 Hz. 8 ohm and 70V/100V operation. Integrated backcan for easy blind-mount" install. Packaged with grille and tile rails for easy installation.	334,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 CONTROL 47C/T (JBCONTROL47C-T)	JBL Ceiling Speaker-Wide-coverage, extended bass ceiling Speaker feature RBI. 6.5" two-way, 120 deg consistent coverage, 55 Hz - 20 kHz, 91 dB sens, taps at 60W, 30W, 15W (and 7.5W @ 70V) plus 8 ohm direct. (priced as each, sold in pairs.)	399,00
 CONTROL 47HC (JBCONTROL47HC)	JBL Ceiling Speaker-High-ceiling, narrow-coverage version of C47 featuring RBI technology. Specs same as C47C/T except: Well-defined 75 deg coverage and 93 dB sens. (prices as each, sold in pairs.)	481,00
 CONTROL 47LP (JBCONTROL47LP)	JBL Ceiling Speaker-Low-Profile version of C47D/T featuring RBI technology. Specs same as C47C/T except only 142 mm (5.6 in) deep, 68 Hz to 20 kHz. (priced as each; sold in pairs)	343,00
 CONTROL 50S/T (JBCONTROL5)	JBL Control Series-Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) long-throw woofer, 100W cont pink noise (400W peak), selectable 70V/100V or low-impedance, drives 2 or 4 satellite speakers (C42C, C52 or C62P), wall-mount bracket included, black (priced as each; sold in pairs).	317,00
 CONTROL 50S/T-WH (JBCONTROL50S-T-WH)	JBL Control Series-Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) long-throw woofer, 100W cont pink noise (400W peak), selectable 70V/100V or low-impedance, drives 2 or 4 satellite speakers (C42C, C52 or C62P), wall-mount bracket included, (priced as each; sold in pairs), white.	507,00
 CONTROL 52 (JBCONTROL52)	JBL Control Series-Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with C50S/T or C50CS/T subwoofer or requires external high-pass, 16 ohms, wall-mount bracket included (priced as each, sold in pairs), black.	92,00
 CONTROL 52-WH (JBCONTROL52-WH)	JBL Control Series-Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with C50S/T or C50CS/T subwoofer or requires external high-pass, 16 ohms, wall-mount bracket included (priced as each, sold in pairs), white.	92,00
 CONTROL 85M (JBCONTROL85M) 691991005077	JBL Control Series - Landscape Speakers-Compact 5¼" Mushroom-Style Landscape Speaker. 5-1/4" (130 mm) polypropylene cone woofer with rubber surround & 3/4" (19 mm) tweeter, 55 Hz - 18 kHz, 80 Watts Cont. Pink Noise Power Handling (320W peak) at 8 ohms, plus 30W multi-tap transformer. IP-56 rated. Hunter green. Priced and packed individually.	322,00
 CONTROL 88M (JBCONTROL88M) 691991005084	JBL Control Series - Landscape Speakers-High-Power 8" Mushroom-Style Landscape Speaker. 8" (200 mm) polypropylene cone woofer with rubber surround & 1" (25 mm) tweeter, 47 Hz - 16 kHz, 120 Watts Cont. Pink Noise Power Handling (480W peak) at 8 ohms, plus 60W multi-tap transformer. IP-56 rated. Hunter green. Priced and packed individually.	483,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>CONTROL 89MS (JBCONTROL89MS) 691991037344</p>	JBL Control Series - Landscape Speakers-200 mm (8-inch) long-throw driver with polypropylene cone, long excursion TPV surround, and large-diameter 50 mm (2-inch) voice coil on glass fiber former, 150W Pink Noise Power Handling (300W program) in direct 8 setting, plus built-in 80W subwoofer-band 70V/100V multi-tap transformer, Tough polyethylene enclosure resists abuse from lawn care equipment and the elements, IP56-rated to withstand the elements, with a tough polyethylene enclosure and a fully-sealed center wiring chamber, Frequency range: 40 Hz-150 Hz	439,00
 <p>CONTROLCRV (JBCONTROLCRV)</p>	JBL Control Series-Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W cont pink (300W peak), wall-mount bracket included (prices as each and sold individually), black. Master Pack Quantity: 4 Pieces	315,00
 <p>CONTROLCRV-WH (JBCONTROLCRV-WH)</p>	JBL Control Series-Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W cont pink (300W peak), wall-mount bracket included (prices as each and sold individually), white. Master Pack Quantity: 4 Pieces	315,00
 <p>CONTROL HST (JBCONTROLHST) 691991000775</p>	JBL Control Series-Control HST - Wide-Coverage On-Wall Speaker	427,00
 <p>CONTROL HST-WH (JBCONTROLHST-WH) 691991000782</p>	JBL Control Series-Control HST - Wide-Coverage On-Wall Speaker	427,00
 <p>CONTROL SB2210 (JBCONTROLSB2210) 691991004322</p>	JBL Control Series-Compact, Low Profile, High-Power Subwoofer with 2 x 250mm (10 Inch) Woven-Fiberglass Cone Drivers. 500 Watts Cont. Pink Noise Power Handling (2000W peak), 13 M6 Suspension Points, feet, Optional U-bracket. 38 Hz-500 Hz Frequency Range, 355 x 590 x 570 mm, (14 x 23.3 x 22.5 In). Black. Priced and sold individually.	995,00
 <p>CONTROL SB2210-WH (JBCONTROLSB2210-WH) 691991004339</p>	JBL Control Series-Control SB2210 in white (-WH)	995,00
 <p>CSS-15C-VA (JBCSS-15C-VA) 691991000799</p>	JBL Ceiling Speaker-EN54 Certified and BS5839/8 CSS-15C-VA is a full-range, EN54-24 certified ceiling speaker consisting of a 127 mm (5 inch) full-range dual-cone driver, torsion-mounted into an included easy-install blind-mount metal fire dome. The speaker is designed to provide clear and intelligible sound for applications requiring EN54 certification and/or BS5839 compliance. 6W, 3W and 1.5W multi-tap transformer for use on 100V distributed speaker lines.	77,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 CSS-1S/T (JBCSS-1S-T)	JBL Control Series-Compact 2-Way 100V/70V/8? Surface-Mount Loudspeaker. 5¼" LF and ¾" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap Transformer for 100V or 70V Distributed Speaker Lines (10W and 5W taps, plus 2.5W at 70V only), or 60W at 8?, ball-type wall-mount included. (priced as each; sold in pairs). 5¼" LF and ¾" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap Transformer for 100V or 70V Distributed Speaker Lines (10W and 5W taps, plus 2.5W at 70V only), or 60W at 8?, ball-type wall-mount included. (priced as each; sold in Compact 2-Way	176,00
 CSS8004 (JBCSS8004)	JBL Ceiling Speaker-4" Commercial Series Ceiling Speaker. 90 dB sens, 5W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 175 deg coverage; punched metal grille, compatible with CSS-BB4 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	26,00
 CSS8008 (JBCSS8008)	JBL Ceiling Speaker-8" Commercial Series Ceiling Speaker. 96 dB sens, 5W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 120 deg coverage; punched metal grille, compatible with CSS-BB8 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	34,00
 CSS8018 (JBCSS8018)	JBL Ceiling Speaker-8" Commercial Series Ceiling Speaker. Very high 97 dB sens, 10W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 110 deg coverage; punched metal grille, compatible with CSS-BB8 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	47,00
 CSS-H15 (JBCSS-H15)	JBL Paging Horn Speaker-15 Watt Paging Horn (6 in masterpack)	138,00
 CSS-H30 (JBCSS-H30)	JBL Paging Horn Speaker-30 Watt Paging Horn (4 in masterpack)	188,00
 CWT128 (JBCWT128) 691991007569	JBL AE Series-Crossfired Waveguide Technology. Extremely wide coverage dual 8", dual 2408H-1 compression drivers in a compact 2-way passive loudspeaker system. 400W Watt pink noise power handling. 1600 Watt peak power handling. 126 dB maximum SPL, 8 ohms. Foam backed powder coated 16 gauge steel grille. Four M10 suspension points and OmniMount® provision on rear panel. Standard finish: Black DuraFlex™. Optional finishes: White (-WH), WRC and WRX. Net weight 18.6 kg (40.9 lbs). Priced as each.	3.240,00
 CWT128-WH (JBCWT128-WH) 691991007576	JBL AE Series-Crossfired Waveguide Technology. Extremely wide coverage dual 8", dual 2408H-1 compression drivers in a compact 2-way passive loudspeaker system. 400W Watt pink noise power handling. 1600 Watt peak power handling. 126 dB maximum SPL, 8 ohms. Foam backed powder coated 16 gauge steel grille. Four M10 suspension points and OmniMount® provision on rear panel. Standard finish: Black DuraFlex™. Optional finishes: White (-WH), WRC and WRX. Net weight 18.6 kg (40.9 lbs). Priced as each.	3.240,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 GSB12 (JBGSB12-GN) 691991037184	JBL Control Series - Landscape Speakers-IN-GROUND SUBWOOFER,12IN,GREEN,1PC	826,00
 GSB12 (JBGSB12-TN) 691991037825	JBL Control Series - Landscape Speakers-IN-GROUND SUBWOOFER,12IN,TAN,1PC	826,00
 GSB8 (JBGSB8-GN) 691991037795	JBL Control Series - Landscape Speakers-IN-GROUND SUBWOOFER,8IN,GREEN,1PC	529,00
 GSB8 (JBGSB8-TN)	JBL Control Series - Landscape Speakers-IN-GROUND SUBWOOFER,8IN,TAN,1PC	529,00
 GSF3 (JBGSF3-GN) 691991039300	JBL Control Series - Landscape Speakers-GROUND-STAKE SPKR,3IN COAX,GREEN,1PC	221,00
 GSF3 (JBGSF3-TN) 691991039317	JBL Control Series - Landscape Speakers-GROUND-STAKE SPKR,3IN COAX TAN,1PC	221,00
 GSF6 (JBGSF6-GN) 691991039355	JBL Control Series - Landscape Speakers-GROUND-STAKE SPKR, 6IN COAX, GREEN,1PC	299,00
 GSF6 (JBGSF6-TN) 691991039348	JBL Control Series - Landscape Speakers-GROUND-STAKE SPKR,6IN COAX,TAN,1PC	299,00
IVX-576126 (JBIVX-576126)	JBL Intellivox-Intellivox H-90 MKII , Ral 9007 - EN54:24	2.413,00
IVX-577126 (JBIVX-577126) 691991012013	JBL Intellivox-Intellivox H-90 MKII , Ral 9010 - EN54:24	2.413,00
IVX-577135 (JBIVX-577135)	JBL Intellivox-Intellivox V-90 MKII, Special Color - EN54:24	2.798,00




Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 IVX-587000 (JBIVX-587000-230)	JBL Intellivox-Intellivox-DS115, Amp@Bottom	6.477,00
IVX-587001 (JBIVX-587001-230)	JBL Intellivox-Intellivox-DS115, Amp@Top	6.477,00
IVX-587020 (JBIVX-587020-230)	JBL Intellivox-Intellivox-DS180, Amp@Bottom	9.494,00
IVX-587021 (JBIVX-587021-230)	JBL Intellivox-Intellivox-DS180, Amp@Top	9.494,00
 IVX-587040 (JBIVX-587040-230)	JBL Intellivox-Intellivox-DSX180, Amp@Bottom	9.494,00
IVX-587041 (JBIVX-587041-230)	JBL Intellivox-Intellivox-DSX180, Amp@Top	9.494,00
IVX-587060 (JBIVX-587060-230) 691991035951	JBL Intellivox-Intellivox-DS280, Amp@Bottom	13.002,00
IVX-587061 (JBIVX-587061-230) 691991035975	JBL Intellivox-Intellivox-DS280, Amp@Top	13.002,00
IVX-587121 (JBIVX-587121-230)	JBL Intellivox-Intellivox-DS430, Amp@Top	22.507,00
IVX-587140 (JBIVX-587140-230)	JBL Intellivox-Intellivox-DSX430, Amp@Bottom	22.507,00
IVX-587141 (JBIVX-587141-230)	JBL Intellivox-Intellivox-DSX430, Amp@Top	22.507,00
IVX-587160 (JBIVX-587160-230)	JBL Intellivox-Intellivox-DS500, Amp@Bottom	25.635,00
IVX-587181 (JBIVX-587181-230)	JBL Intellivox-Intellivox-DSX500, Amp@Top	25.635,00
IVX-587301 (JBIVX-587301-230)	JBL Intellivox-Intellivox-DS380, Amp@Top	18.398,00
IVX-587350 (JBIVX-587350-230)	JBL Intellivox-Intellivox-DSX380, Amp@Bottom	18.398,00
IVX-587351 (JBIVX-587351-230)	JBL Intellivox-Intellivox-DSX380, Amp@Top	18.398,00
 IVX-587480 (JBIVX-587480-230)	JBL Intellivox-Intellivox-DSX280HD, Amp@Bottom	13.002,00






Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
IVX-587481 (JBIVX-587481-230)	JBL Intellivox-Intellivox-DSX280HD, Amp@Top	13.002,00
IVX-587870 (JBIVX-587870)	JBL Intellivox-Intellivox-HP-DS170, High Power	14.345,00
IVX-587890 (JBIVX-587890) 691991012099	JBL Intellivox-Intellivox-HP-DS370, High Power	31.220,00
LCT 81C/TM (JBLCT81C-TM) 691991037351	JBL Ceiling Speaker-Lay-in Ceiling Tile Speaker, 8" driver, for 600mm x 60mm suspended grid ceilings (NOT for US 2' x 2' grids), combined 70V/100V and low impedance direct operation, 20W at 8, 10W multi-tap transformer with taps at 10W, 5W, 2.5W (and 1.3W for 70V only) via rotary tap-selector switch, max SPL of 108 (peaks of 114 dB) a 1m (low-Z), very low-profile at 103 mm (4.1") deep, bare-wire connection in protected compartment, very high 96 dB sensitivity, 100° conical coverage pattern, designed for high intelligibility, UL1480 and UL2043, white full-face grille. priced as each sold in pairs.	170,00
 PD5122 (JBPD5122)	JBL PD Series-High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb). *NEW*	3.676,00
PD5122-WH (JBPD5122-WH)	JBL PD Series-High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb). White finish. *NEW*	3.676,00
PD5125-WH (JBPD5125-WH)	JBL PD Series-High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled 2226H Low Frequency Drivers in a Front Loaded, Vented Configuration. 37 Hz to 2.5 KHz Frequency Range. 991 x 476 x 691 mm (39 x 18.75 x 27.2 in.), 53.4 kg (118 lb). White finish. *NEW*	3.712,00
 PD525S (JBPD525S) 691991014789	JBL PD Series-Dual 15" subwoofer system, 2275H driver, 75mm (3 in) voice coil, 4-ohm nominal impedance.	3.245,00
PD525S - WH (JBPD525S-WH)	JBL PD Series-Dual 15" subwoofer system, 2275H driver, 75mm (3 in) voice coil, 4-ohm nominal impedance. WHITE	3.245,00
PD525S-WRC (JBPD525S-WRC) 691991031984	JBL PD Series-Dual 15" 2275H Differential Driver® with dual 75mm (3 in) voice coils and dual magnetic gap subwoofer system. With Weather Protection Treatment.	4.550,00
PD525S-WRX (JBPD525S-WRX)	JBL PD Series-Dual 15" 2275H Differential Driver® with dual 75mm (3 in) voice coils and dual magnetic gap subwoofer system. With Extreme Weather Protection Treatment.	5.915,00
 PD544 (JBPD544) 691991014796	JBL PD Series-15" Horn-Loaded 2-way full-range system, 40° x 40° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	4.550,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
PD544 - WH (JBPD544-WH)	JBL PD Series-15" Horn-Loaded 2-way full-range system, 40? x 40? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance. WHITE	4.550,00
PD544-WRC (JBPD544-WRC) 691991014802	JBL PD Series-15" Horn-loaded 2-way full-range loudspeaker system, 40? x 40? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Weather Protection Treatment.	4.853,00
PD544-WRX (JBPD544-WRX) 691991014819	JBL PD Series-15" Horn-loaded 2-way full-range loudspeaker system, 40? x 40? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Extreme Weather Protection Treatment.	6.067,00
 PD564 (JBPD564) 691991014826	JBL PD Series-15" Horn-Loaded 2-way full-range system, rotatable 60? x 40? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	4.550,00
PD564-WRC (JBPD564-WRC) 691991014833	JBL PD Series-15" Horn-loaded 2-way full-range loudspeaker 2-way system, 60? x 40? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Weather Protection Treatment.	4.853,00
PD564-WRX (JBPD564-WRX) 691991014840	JBL PD Series-15" Horn-loaded 2-way full-range loudspeaker 2-way system, 60? x 40? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Extreme Weather Protection Treatment.	6.067,00
PD566 - WH (JBPD566-WH)	JBL PD Series-15" Horn-Loaded 2-way full-range system, 60? x 60? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance. WHITE	4.550,00
PD566-WRC (JBPD566-WRC)	JBL PD Series-15" Horn-loaded 2-way full-range loudspeaker2-way system, 60? x 60? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Weather Protection Treatment.	4.853,00
PD566-WRX (JBPD566-WRX) 691991014864	JBL PD Series-15" Horn-loaded 2-way full-range loudspeaker2-way system, 60? x 60? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Extreme Weather Protection Treatment.	6.067,00
 PD595 (JBPD595) 691991014871	JBL PD Series-15" Horn-Loaded 2-way full-range system, rotatable 90? x 50? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	4.550,00
PD595 -WH (JBPD595-WH)	JBL PD Series-15" Horn-Loaded 2-way full-range system, rotatable 90? x 50? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance. WHITE	4.550,00
PD595-WRC (JBPD595-WRC) 691991014888	JBL PD Series-15" Horn-loaded 2-way full-range loudspeaker 2-way system, 90? x 50? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Weather Protection Treatment.	4.853,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
PD595-WRX (JBPD595-WRX) 691991014895	JBL PD Series-15" Horn-loaded 2-way full-range loudspeaker 2-way system, 90° x 50° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Extreme Weather Protection Treatment.	6.067,00
 PD6200/43-WH (JBPD6200-43-WH) 691991014482	JBL PD Series-High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.	6.521,00
 PD6200/64 (JBPD6200-64) 691991014512	JBL PD Series-High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	4.550,00
 PD6212/64 (JBPD6212-64)	JBL PD Series-High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	5.157,00
 PD6212/66 (JBPD6212-66) 691991014659	JBL PD Series-High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	5.157,00
 PD6212/95 (JBPD6212-95) 691991014680	JBL PD Series-High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	5.157,00
 PD6212/95-WH (JBPD6212-95-WH)	JBL PD Series-High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). White finish	5.157,00
 PD6322/43 (JBPD6322-43) 691991014703	JBL PD Series-High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs).	8.186,00
 PD6322/66 (JBPD6322-66)	JBL PD Series-High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).	6.067,00









Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 PD6322/95 (JBPD6322-95)	JBL PD Series-High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).	6.067,00
 PD6322/95-WH (JBPD6322-95-WH) 691991005039	JBL PD Series-High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). White finish.	6.067,00
 PD743 (JBPD743) 691991014901	JBL PD Series-Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb).	16.204,00
PD743i-215 (JBPD743i-215)	JBL PD Series-3-way full-range, high-output loudspeaker system, 40° x 30° coverage pattern	15.007,00
PD743i-215-WRC (JBPD743i-215-WRC)	JBL PD Series-3-way full-range, high-output loudspeaker system, 40° x 30° coverage pattern with weather protection	15.785,00
PD743i-215-WRX (JBPD743i-215-WRX)	JBL PD Series-3-way full-range, high-output loudspeaker system, 40° x 30° coverage pattern with extreme weather protection	17.785,00
PD743i-WRC (JBPD743i-WRC)	JBL PD Series-Very High Output Mid-High Loudspeaker System, 40 x 30 coverage pattern, with weather protection	14.450,00
PD743i-WRX (JBPD743i-WRX)	JBL PD Series-Very High Output Mid-High Loudspeaker System, 40 x 30 coverage pattern, with extreme weather protection	15.562,00
PD764i (JBPD764i)	JBL PD Series-Very High Output Mid-High Loudspeaker System, 60 x 40 coverage pattern	10.349,00
PD764i-215 (JBPD764i-215)	JBL PD Series-3-way full-range, high-output loudspeaker system, 60° x 40° coverage pattern	13.766,00
PD764i-215-WRC (JBPD764i-215-WRC)	JBL PD Series-3-way full-range, high-output loudspeaker system, 60° x 40° coverage pattern with weather protection	14.349,00
PD764i-WRC (JBPD764i-WRC)	JBL PD Series-Very High Output Mid-High Loudspeaker System, 60 x 40 coverage pattern, with weather protection	13.339,00
PD764i-WRX (JBPD764i-WRX)	JBL PD Series-Very High Output Mid-High Loudspeaker System, 60 x 40 coverage pattern, with extreme weather protection	14.450,00
 SLP12/T-BK (JBSLP12-T-BK) 691991037849	JBL Control Series-SLEEK LOW PROFILE ON-WALL SPEAKER Transducer: 75 mm (3 in) full-range, Power handling: 30W continuous pink noise, 60W continuous program, 15° down-tilted coverage allows flush-to-wall mounting, Included slide-in wall bracket makes installation a breeze, Sonically matched to JBL Control 12C/T ceiling speakers, Included rain cover protects terminal compartment in protected outdoor applications, Multi-tap transformer for use in 70V/100V systems, ADA-compliant at less than 4 inches deep, Available in black or white finishes	150,00







Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 SLP12/T-WH (JBSP12-T-WH) 691991037856	JBL Control Series-SLEEK LOW PROFILE ON-WALL SPEAKER Transducer: 75 mm (3 in) full-range, Power handling: 30W continuous pink noise, 60W continuous program, 15° down-tilted coverage allows flush-to-wall mounting, Included slide-in wall bracket makes installation a breeze, Sonically matched to JBL Control 12C/T ceiling speakers, Included rain cover protects terminal compartment in protected outdoor applications, Multi-tap transformer for use in 70V/100V systems, ADA-compliant at less than 4 inches deep, Available in black or white finishes	150,00
 SLP14/T-BK (JBSP14-T-BK) 691991037863	JBL Control Series-SLEEK LOW PROFILE ON-WALL SPEAKER Transducers: 100 mm (4 in) polypropylene cone woofer and 1" silk-dome tweeter, Power handling: 45W continuous pink noise, 60W continuous program, 15° down-tilted coverage allows flush-to-wall mounting, Included slide-in wall bracket makes installation a breeze, Sonically matched to JBL Control 14C/T ceiling speakers, Included rain cover protects terminal compartment in protected outdoor applications, Multi-tap transformer for use in 70V/100V systems, ADA-compliant at less than 4 inches deep, Available in black or white finishes.	211,00
 SLP14/T-WH (JBSP14-T-WH) 691991037870	JBL Control Series-SLEEK LOW PROFILE ON-WALL SPEAKER Transducers: 100 mm (4 in) polypropylene cone woofer and 1" silk-dome tweeter, Power handling: 45W continuous pink noise, 60W continuous program, 15° down-tilted coverage allows flush-to-wall mounting, Included slide-in wall bracket makes installation a breeze, Sonically matched to JBL Control 14C/T ceiling speakers, Included rain cover protects terminal compartment in protected outdoor applications, Multi-tap transformer for use in 70V/100V systems, ADA-compliant at less than 4 inches deep, Available in black or white finishes.	211,00
 VLA-C125S-GR (JBVLA-C125S-GR) 691991010378	JBL VLA Series-The JBL VLA-C125S is a dual 15" subwoofer with Differential Drive® that can be used as part of a VLA Compact line array. The VLA-C125S features two 2267H 15" Differential Drive® woofers with 4" voice coils. The Variable Line Array (VLA) Compact Series is a line array loudspeaker solution built upon the industry-leading VLA Series. Designed to fill the needs of system designers for installations requiring the long-throw capabilities of the VLA in a more compact line array solution, the VLA Compact offers advanced audio capabilities, out-of-the-box weather protection and a fiberglass enclosure for stadiums and arenas and any other project in need of compact, high-powered line arrays. GREY colour.	5.981,00
 VLA-C2100-GR (JBVLA-C2100-GR) 691991010354	JBL VLA Series-The JBL VLA-C2100 is a two way, full range loudspeaker with 100° horizontal coverage that can be used as part of a VLA Compact line array. The VLA-C2100 features 3 x D2415K HF drivers with 1.5" Voice Coils and 2 x 2261 10" Differential Drive® 3" voice coil LF drivers. The Variable Line Array (VLA) Compact Series is a line array loudspeaker solution built upon the industry-leading VLA Series. Designed to fill the needs of system designers for installations requiring the long-throw capabilities of the VLA in a more compact line array solution, the VLA Compact offers advanced audio capabilities, out-of-the-box weather protection and a fiberglass enclosure for stadiums and arenas and any other project in need of compact, high-powered line arrays. GREY colour.	7.227,00
 VLA-C265-GR (JBVLA-C265-GR) 691991013348	JBL VLA Series-The JBL VLA-C265 is a two way, full range loudspeaker with 65° horizontal coverage that can be used as part of a VLA Compact line array. The VLA-C265 features 3 x D2415K HF drivers with 1.5" Voice Coils and 2 x 2261 10" Differential Drive® 3" voice coil LF drivers. The Variable Line Array (VLA) Compact Series is a line array loudspeaker solution built upon the industry-leading VLA Series. Designed to fill the needs of system designers for installations requiring the long-throw capabilities of the VLA in a more compact line array solution, the VLA Compact offers advanced audio capabilities, out-of-the-box weather protection and a fiberglass enclosure for stadiums and arenas and any other project in need of compact, high-powered line arrays. GREY Colour.	7.227,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 VTX B18 (JBVTXB18) 691991013409	JBL VTX Series-Single 18" Subwoofer	4.883,00
 VTX B28 (JBVTXB28) 691991034176	JBL VTX Series-Dual 18" Subwoofer	8.644,00
 VTX B28 SB (JBVTXB28SB) 691991034275	JBL VTX Series-Suspension Bar for VTX B28	1.629,00
 VTX-F35/64 (JBVTX-F35-64) 688705000824	JBL VTX Series-VTX-F35, high output three-way full range system. Designed to address a wide range of applications, where high-impact, high-fidelity audio, needs to be delivered. The trapezoidal full-range, VTX-F35 will be the go-to choice for customers needing high-power side-fills, mains speakers, or a V5-compliant high-performance complement to a larger VTX system. The VTX-F35 has exceptional power-to-weight ratio thanks to its lightweight, Differential Drive 2265H- 15" and 2169H-8" transducers. High Frequency is delivered from a D2 driver coupled to a multi-band Progressive Transition Waveguide and available in 60x40 or 90x50 coverage patterns. The VTX F-35 is Stackable and includes M10 mounting points.	4.571,00

Altoparlanti cinema



3181F
(JB3181F)
691991033919

JBL Cinema JBL Cinema-Singe 18" 4 Subwoofer - Fly able

629,00



3635
(JBHPD3635)
691991015441

JBL Cinema JBL Cinema-8 ohm, Single 18" Bass Reflex Subwoofer System, Shallow Profile. Components: Single 2042H, 300 watts.

1.299,00



3677
(JBHPD3677)
691991015496

JBL Cinema JBL Cinema-Single Enclosure, (Shallow Profile) Components: 2035H, 2416H-1 Driver, 2373 Horn in Shallow Depth Enclosure.

1.385,00












4641
(JB4641D)
691991015328

JBL Cinema JBL Cinema-8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2241H Installed in a Single 18" Enclosure, 600 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.

1.221,00








Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 4642AD (JB4642AD) 691991036361	JBL Cinema JBL Cinema-4 ohm, Dual 18" Bass Reflex Subwoofer System. Components: Two 2241H Installed in Dual 18" Enclosure, 1200 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.	2.442,00
 4645C (JB4645CD) 691991028540	JBL Cinema JBL Cinema-8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2242H Installed in 4518A Enclosure, Single Port, 800 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.	1.771,00
 4722N-HF (JB4722N-HFD) 691991028663	JBL Cinema JBL Cinema-High Frequency Section for 4722N System – Passive. Components: 2384 ScreenArray Horn, 2432H Driver, Network and Bracket. Pre-Assembled	909,00
 5628 (JBHPD5628) 691991015335	JBL Cinema JBL Cinema-4,000 Watt, dual 2269H 18" drivers, Very High Power Cinema Subwoofer	4.027,00
 5732-M/HF (JB5732-M-HF)	JBL Cinema JBL Cinema-Mid-High Frequency Section for 5732 System. Components: Two 2169J 200mm (8 inch) Differential Drive® Mid Frequency and one 2452H-SL 4" Titanium Diaphragm High Frequency Compression Driver. Pre-Assembled and Pre-Aimed.	3.174,00
 5739 (JBHPD5739) 691991015366	JBL Cinema JBL Cinema-4 ohm Low Frequency Section for 5732 System. Components: Two 2226HPL VGC™ Vented Gap Cooled 380mm (15") Woofers installed in a 4739 Enclosure.	2.004,00
 8320 (JBHPD8320) 691991015427	JBL Cinema JBL Cinema-Two-Way Surround System, 8" Low Frequency Driver, 1" Dome Tweeter, HF Protection Circuit, 8 ohms. Packed 2 Pieces Per Master Pack.	374,00
 9300 (JBHPD9300) 691991015410	JBL Cinema JBL Cinema-250W 10" 2way Cinema Surround (must be ordered in pairs)	539,00
 9310 (JBHPD9310) 691991015403	JBL Cinema JBL Cinema-350W High Powered 10" 2way Cinema Surround (must be ordered in pairs)	695,00









Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>9320 (JBHPD9320) 691991015397</p>	JBL Cinema JBL Cinema-12" High Powered Cinema Surround For Multi Channel Applications.	1.039,00
 <p>9350 (JBHPD9350) 691991015373</p>	JBL Cinema JBL Cinema-15" High Powered Surround with configurable pattern	1.709,00
 <p>C211 (JBC211) 691991007668</p>	JBL Cinema JBL Cinema-The C211 is a Next-generation two-way ScreenArray® design for maximum output, improved coverage and minimum distortion.	913,00
 <p>C221 (JBC221) 691991007675</p>	JBL Cinema JBL Cinema-The C221 Two-Way ScreenArray® Cinema Loudspeaker combines JBL's latest technological advances with a compact footprint and accessible price point, making it easy to upgrade the sonic experience in your small or mid-sized cinema.	1.589,00
 <p>C222D-BOT (JBC222D-BOT) 691991010002</p>	JBL Cinema JBL Cinema-The C222 Two-Way ScreenArray® Cinema Loudspeaker combines JBL's latest technological advances with a compact footprint and accessible price point, making it easy to upgrade the sonic experience in your small or mid-sized cinema. Featuring patent-pending Dual Dissimilar Arraying and Acoustic Aperture Technology, the C222 provides remarkably uniform coverage and smooth, accurate sound reproduction for every member of your audience. The C222 has a depth of 12", making it perfect for small and medium multiplexes with space constraints. And since the C222 uses the same driver technology trusted by top movie studios around the world, your audience will enjoy a more captivating, authentic experience from every seat in the house—just like the creators intended.	670,00
 <p>C222D-TOP (JBC222D-TOP) 691991010019</p>	JBL Cinema JBL Cinema-The C222 Two-Way ScreenArray® Cinema Loudspeaker combines JBL's latest technological advances with a compact footprint and accessible price point, making it easy to upgrade the sonic experience in your small or mid-sized cinema. Featuring patent-pending Dual Dissimilar Arraying and Acoustic Aperture Technology, the C222 provides remarkably uniform coverage and smooth, accurate sound reproduction for every member of your audience. The C222 has a depth of 12", making it perfect for small and medium multiplexes with space constraints. And since the C222 uses the same driver technology trusted by top movie studios around the world, your audience will enjoy a more captivating, authentic experience from every seat in the house—just like the creators intended.	1.234,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa



Modello	Descrizione	Prezzo al Pubblico
 <p>C222HP-BOT (JBC222HP-BOT) 691991033827</p>	<p>JBL Cinema JBL Cinema-The C222HP Two-Way ScreenArray® Cinema Loudspeaker combines JBL's latest technological advances with a compact footprint and accessible price point, making it easy to upgrade the sonic experience in your small or mid-sized cinema. Featuring patent-pending Dual Dissimilar Arraying and Acoustic Aperture Technology, the C222HP provides remarkably uniform coverage and smooth, accurate sound reproduction for every member of your audience. The C222HP is perfect for small and medium multiplexes, studios and dubbing stages with space constraints. And since the C222HP uses the same driver technology trusted by top movie studios around the world, your audience will enjoy a more captivating, authentic experience from every seat in the house—just like the creators intended. The C222HP represents JBL's most advanced cinema two-away ScreenArray®.</p>	1.218,00
 <p>C222HP-TOP (JBC222HP-TOP) 691991033810</p>	<p>JBL Cinema JBL Cinema-The C222HP Two-Way ScreenArray® Cinema Loudspeaker combines JBL's latest technological advances with a compact footprint and accessible price point, making it easy to upgrade the sonic experience in your small or mid-sized cinema. Featuring patent-pending Dual Dissimilar Arraying and Acoustic Aperture Technology, the C222HP provides remarkably uniform coverage and smooth, accurate sound reproduction for every member of your audience. The C222HP is perfect for small and medium multiplexes, studios and dubbing stages with space constraints. And since the C222HP uses the same driver technology trusted by top movie studios around the world, your audience will enjoy a more captivating, authentic experience from every seat in the house—just like the creators intended. The C222HP represents JBL's most advanced cinema two-away ScreenArray®.</p>	1.950,00
 <p>HPD8102 (JBHPD8102) 691991033872</p>	<p>JBL Cinema JBL Cinema-10" 2 Way Surround speaker</p>	286,00
 <p>SCS12 (JBSCS12)</p>	<p>JBL Cinema JBL Cinema-Two-way Full Range Cinema Surround Speaker ideal for Multi Channel Surround Formats and is Designed for overhead installation as well as for the standard on-wall installations. The SCS12 is comprised of a high-power coaxial 305 mm (12 in) Low Frequency Driver and a 25 mm (1 in) High Frequency compression driver</p>	916,00
 <p>SCS8 (JBSCS8)</p>	<p>JBL Cinema JBL Cinema-Two-way Full Range Cinema Surround Speaker ideal for Multi Channel Surround Formats for Medium Sized auditoriums. The SCS8 is comprised of a high-power coaxial 203 mm (8 in) Low Frequency Driver and a 25 mm (1 in) High Frequency compression driver</p>	611,00
 <p>104SET-BT (JB104SET-BT-EK) 691991033728</p>	<p>JBL Studio Series-JBL 104 Studio Monitors Bluetooth, black</p>	208,00

Monitor recording e broadcast









Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>S/M 305PMKII-EK (JB305PMKII-EK) 691991035739</p>	JBL Studio Series-The next-generation JBL 305P MkII compact powered studio monitor makes legendary JBL performance available to every studio. With the revolutionary JBL Image Control Waveguide and refined transducers, JBL 305P MkII offers stunning detail, precise imaging, a wide sweet spot and impressive dynamic range that enhances the critical listening capabilities of any modern workspace. Featuring patented technologies derived from the JBL 7 Series and M2 Master Reference Monitors, and sporting a sleek, modern design, JBL 305P MkII delivers outstanding performance and an enjoyable mix experience at an accessible price.	165,00
 <p>S/M 306PMKII-EK (JB306PMKII-EK) 691991035722</p>	JBL Studio Series-The next-generation JBL 306P MkII powered studio monitor makes legendary JBL performance available to every studio. With the revolutionary JBL Image Control Waveguide and refined transducers, JBL 306P MkII offers stunning detail, precise imaging, a wide sweet spot and impressive dynamic range that enhances the mix capabilities of any modern workspace. Leveraging patented technologies derived from the JBL 7 Series and M2 Master Reference Monitors and sporting a sleek, modern design, JBL 306P MkII delivers outstanding performance and an enjoyable mix experience at an accessible price.	238,00
 <p>S/M 308PMKII-EK (JB308PMKII-EK) 691991035715</p>	JBL Studio Series-The next-generation JBL 308P MkII powered studio monitor makes legendary JBL performance available to every studio. With the revolutionary JBL Image Control Waveguide and refined transducers, JBL 308P MkII offers stunning detail, precise imaging, a wide sweet spot and impressive dynamic range that enhances the mix capabilities of any modern workspace. Leveraging patented technologies derived from the JBL 7 Series and M2 Master Reference Monitors and sporting a sleek, modern design, JBL 308P MkII delivers outstanding performance and an enjoyable mix experience at an accessible price.	306,00
 <p>705P (JB705P) 691991006326</p>	JBL Studio Series-JBL "7-Series" 705P 5-inch Bi-Amplified Master Reference Studio Monitor, with 725G five-inch low frequency transducer, Image Control Waveguide. Class-D Power Amplifiers with 250 Watts for LF and 120 Watts for HF. Digital and Analog Inputs. Integrated Room and User EQ. HARMAN HiQnet enabled.	1.400,00
 <p>708P (JB708P) 691991006333</p>	JBL Studio Series-JBL 7-Series 708P 8-inch Bi-Amplified Master Reference Studio Monitor, with 728G eight-inch low-frequency transducer with Differential Drive, and Image Control Waveguide. Class-D Power Amplifiers with 250 Watts for LF and 120 Watts for HF. Digital and Analog Inputs. Integrated Room and User EQ. HARMAN HiQnet enabled.	2.802,00
 <p>C2PM/230 (JBC2PM-230)</p>	JBL Control Series-One Control 2P Powered Master speaker, (without passive extension speaker) and power supply.	289,00
 <p>C2PS/230 (JBC2PS-230)</p>	JBL Control Series-Control 2P Stereo Set. Includes one C2PM powered master, one Passive Extension Speaker, one Power Supply and two Snap-On Angle Pedestals. Both speakers have a 5.25" Low Frequency and .75" Polycarbonate Dome Tweeter, Shielded Magnets, Molded Enclosures. Powered master incorporates 35 watts amplification x 2 channels; two Balanced XLR 1/4" and two unbalanced RCA inputs; Stereo Volume Control; Stereo Headphone Jack; HF Contour Control.	333,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>LSR310S/230 (JBSR310SP-EK) 691991031472</p>	JBL Studio Series-10-inch powered subwoofer.	520,00
 <p>LSR705i (JBSR705I) 691991000577</p>	JBL Studio Series-Compact high output two-way externally powered studio monitor with 725G five-inch (127 mm) high-excursion low frequency transducer and 2409H high-frequency compression driver; Patent-pending Image Control Waveguide provides a seamless crossover transition and detailed imaging. 39Hz - 36 kHz frequency range; 107dB Maximum Peak SPL; Dividing Network Transition Frequency: 1.9 kHz. Dividing Network can be bypassed for bi-amplified operation. Birch Plywood enclosure includes rear and bottom mounting points; Not intended for stand-alone use. Complete system requires HARMAN Professional signal processor and external Crown Power Amplifier (not Included.) (Same SKU for 120/230)	980,00
 <p>LSR708i (JBSR708I) 691991000560</p>	JBL Studio Series-Compact high output two-way externally powered studio monitor with 728G eight-inch (203 mm) high-excursion differential driver low frequency transducer and 2409H high-frequency compression driver; Patent-pending Image Control Waveguide provides a seamless crossover transition and detailed imaging. 35Hz - 36 kHz frequency range; 114dB Maximum Peak SPL; Dividing Network Transition Frequency: 1.7 kHz. Dividing Network can be bypassed for bi-amplified operation. Birch Plywood enclosure includes rear and bottom mounting points; Not intended for stand-alone use. Complete system requires HARMAN Professional signal processor and external Crown Power Amplifier (not Included.) (Same SKU for 120/230)	2.100,00
 <p>M2 (JBM2)</p>	JBL Studio Series-M2 Master Reference Monitor: A Free-Standing, 2-Way System that can be placed in any environment to provide an exceptionally accurate monitoring experience. Leveraging a new generation of JBL high-output, ultra-low distortion transducers, the M2 provides in-room frequency response of 20 Hz to 40 kHz, and an extraordinary 123 dB maximum SPL to meet the demanding music, cinema and broadcast production requirements for impactful dynamic range.	8.257,00
 <p>SUB18 (JBSUB18) 691991004698</p>	JBL Studio Series-SUB 18 Studio subwoofer. (Speaker Only. Requires External Power Amplifier) Designed for applications in which very high continuous output and extended low frequency performance are required. Delivers unprecedented performance for demanding dance music production, while providing exceptional accuracy required in cinema post production applications. As an add-on to JBL's M2 Master Reference Monitor system, the SUB18 allows three times greater output from the system.	4.718,00

PA speakers








EON208P
(JBEON208P-230)
691991004940

JBL EON Series-JBL Packaged PA System with integrated 300 Watt powered mixer; 8-channel mixer with user selectable Reverb on Ch1-4, 2 x 8" JBL two-way speakers, durable plastic enclosure. Weight 38.8lbs.

897,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>EON715 (JBEON715-EK) 691991035074</p>	<p>La nuova serie EON 700 comprende tre modelli di diffusori full-range 10", 12", 15" e un subwoofer da 18". Monta componenti di assoluto valore tra cui: il woofer ridisegnato per una resa superiore, il compression driver in neodimio ad alte prestazioni 2414H, una guida d'onda ottimizzata e un amplificatore discreto in classe D da 1300W per gli speaker e da 1500W per il subwoofer. La vera innovazione della serie EON700 risiede nella tecnologia a bordo: DSP pro-grade di dbx (DriveRack tecnologia) per il controllo avanzato delle funzioni di equalizzazione (EQ a 8 bande), limiter, delay, automatic feedback suppression, ducking e molto altro. Il tutto controllabile tramite LCD a colori posto sul retro dei diffusori oppure con App JBL Pro Connect (iOS/Android). I diffusori full-range sono dotati di Bluetooth 5.0 per lo streaming e controllo del DSP. La serie EON700 può essere utilizzata come main PA oppure monitor da palco. Gli speaker full-range sono dotati di punti di sospensione</p>	695,00
 <p>EON718S (JBEON718S-EK) 691991036880</p>	<p>La nuova serie EON 700 comprende tre modelli di diffusori full-range 10", 12", 15" e un subwoofer da 18". Monta componenti di assoluto valore tra cui: il woofer ridisegnato per una resa superiore, il compression driver in neodimio ad alte prestazioni 2414H, una guida d'onda ottimizzata e un amplificatore discreto in classe D da 1300W per gli speaker e da 1500W per il subwoofer. La vera innovazione della serie EON700 risiede nella tecnologia a bordo: DSP pro-grade di dbx (DriveRack tecnologia) per il controllo avanzato delle funzioni di equalizzazione (EQ a 8 bande), limiter, delay, automatic feedback suppression, ducking e molto altro. Il tutto controllabile tramite LCD a colori posto sul retro dei diffusori oppure con App JBL Pro Connect (iOS/Android). I diffusori full-range sono dotati di Bluetooth 5.0 per lo streaming e controllo del DSP. La serie EON700 può essere utilizzata come main PA oppure monitor da palco. Gli speaker full-range sono dotati di punti di sospensione</p>	1.175,00
 <p>EON ONE COMPACT-EK (JBEONONECOMPACT-EK) 691991016295</p>	JBL EON Series-4CH MIXER,SWAPPABLE BATTERY,BT SPEAKER	661,00
 <p>EONONEMK2-EK (JBEONONEMK2-EK) 691991034862</p>	JBL EON Series-JBL EON ONE MK2 BATTERY POWERED COLUMN SPEAKER	1.413,00
 <p>IRX108BT (JBIRX108BT-EK) 691991033513</p>	<p>La nuova serie di diffusori compatti IRX per tutte le applicazioni dove è richiesta affidabilità, potenza e sound professionale con tecnologia Bluetooth in un diffusore compatto e leggero. Praticità di setup in base all'applicazione, grazie ai 4 preset di equalizzazione, facilmente impostabili sul retro del diffusore con i relativi pulsanti dedicati. Soppressore di feedback dbx AFS2 incluso del DSP, Bluetooth 5.0 per streaming audio da dispositivi compatibili e funzione di Ducking per l'attenuazione della musica in presenza di parlato. Il diffusore è completo di 3 maniglie per il trasporto.</p>	411,00











Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 IRX112BT (JBIRX112BT-EK) 691991033551	La nuova serie di diffusori compatti IRX per tutte le applicazioni dove è richiesta affidabilità, potenza e sound professionale con tecnologia Bluetooth in un diffusore compatto e leggero. Praticità di setup in base all'applicazione, grazie ai 4 preset di equalizzazione, facilmente impostabili sul retro del diffusore con i relativi pulsanti dedicati. Soppressore di feedback dbx AFS2 incluso del DSP, Bluetooth 5.0 per streaming audio da dispositivi compatibili e funzione di Ducking per l'attenuazione della musica in presenza di parlato. Il diffusore è completo di 3 maniglie per il trasporto.	468,00
 IRX115S (JBIRX115S-EK) 691991034213	Subwoofer attivo 15" con crossover ottimizzato per serie IRX, polarità e tagli selezionabili da 80 Hz, 100 Hz and 120 Hz. 128 dB SPL per bassi profondi e potenti, in un cabinet robusto e ultraleggero.	868,00
 IRX ONE (JBIRXONE-EK) 691991039881	JBL IRX Series-JBL IRX ONE POWERED COLUMN PA WITH BLUETOOTH	963,00
 JRX215D (JBIRX215D) 691991031267	JBL JRX Series-15" two-way front of house passive speaker system; 1000 Watt peak power handling, 128dB Maximum SPL, 8 ohms. 19mm MDF enclosure, 18-gauge hexagon perforated steel grille. Net Weight 27.4kg (60.5 lbs).	390,00
 PRX412MD (JBPRX412MD) 691991036170	JBL PRX Series-12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB Maximum SPL , 8 ohms. DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. 12 M10 suspension points. Net Weight 17.5kg (38 lbs.)	699,00
 PRX412M-WH (JBPRX412M-WH)	JBL PRX Series-12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB Maximum SPL , 8 ohms. White DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille. 12 M10 suspension points. Net Weight 17.5kg (38 lbs.)	784,00
 PRX415MD (JBPRX415MD) 691991036187	JBL PRX Series-15" two-way stage monitor or front- of- house passive speaker system; 1200 Watt peak power handling , 129dB Maximum SPL , 8 ohms. DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. 12 M10 suspension points. Net Weight 21kg (46 lbs.)	706,00
 PRX415M-WH (JBPRX415M-WH)	JBL PRX Series-15" two-way stage monitor or front- of- house passive speaker system; 1200 Watt peak power handling , 129dB Maximum SPL , 8 ohms. White DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille. 12 M10 suspension points. Net Weight 21kg (46 lbs.)	784,00
 PRX418SD (JBPRX418SD) 691991032141	JBL PRX Series-Compact 18" portable subwoofer system; 35Hz Frequency Range, 2400 watt peak power handling, 130dB Max SPL, cloth-backed steel grille M20 pole socket, non-skid rubber feet, Net Weight 33.5kg (74 lbs.)	947,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 PRX425D (JBPRX425D) 691991032158	JBL PRX Series-Dual 15" two-way passive speaker system; 2400 Watt peak power handling , 134dB Maximum SPL , 4 ohms. DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. 12 M10 suspension points. Net Weight 33.5kg (74 lbs.)	1.081,00
 PRX908 (JBPRX908-EK) 691991037115	I diffusori professionali JBL PRX900 montano un amplificatore ultra efficiente, in classe D da 2000W di picco (1000W RMS), driver a compressione da 1.5", DSP con equalizzatore parametrico da 12 bande, tecnologia dbx DriveRack con soppressore di feedback, limiter, delay e tecnologia G-Sensor che ottimizza automaticamente il tuning del diffusore in base all'orientamento dello stesso. Tutti i modelli sono dotati di schermo LCD e di abbinamento all'app JBL Pro Connect per il controllo delle funzionalità a bordo e abbinamento con altri sistemi JBL come PRX ONE, EON ONE MK2 e EON700.	974,00
 PRX912 (JBPRX912-EK) 691991037108	I diffusori professionali JBL PRX900 montano un amplificatore ultra efficiente, in classe D da 2000W di picco (1000W RMS), driver a compressione da 1.5", DSP con equalizzatore parametrico da 12 bande, tecnologia dbx DriveRack con soppressore di feedback, limiter, delay e tecnologia G-Sensor che ottimizza automaticamente il tuning del diffusore in base all'orientamento dello stesso. Tutti i modelli sono dotati di schermo LCD e di abbinamento all'app JBL Pro Connect per il controllo delle funzionalità a bordo e abbinamento con altri sistemi JBL come PRX ONE, EON ONE MK2 e EON700.	1.112,00
 PRX915XLF (JBPRX915XLF-ED) 691991038686	JBL PRX Series-JBL PRX915XLF 15IN POWERED SUBWOOFER (CHINA)	1.359,00
 JBL-PRX One-EK (JBPRXONE-EK) 691991034909	JBL PRX Series-Linear-array PA system with a 2000W Amplifier driving a 12" subwoofer and 12 x 2.5" drivers to achieve 130dB SPL. Built in 7 channel digital mixer with extensive DBX dynamics and Lexicon FX on board. Bluetooth 5.0 streaming and control via JBL Pro Connect app on iOS & Android	1.833,00
 SRX812 (JBSRX812) 691991001628	JBL SRX Series-SRX812 is a two-way full range speaker with a 12" woofer made for use as a light duty main PA, monitor, or rear or side fill. Premium utility hardware makes SRX812 an ideal solution for sound reinforcement. Tunings for Crown amps and dbx processors are available at jblpro.com. (Same SKU for 120/230)	1.285,00
 SRX812P/230 (JBSRX812P-230)	JBL SRX Series-2000 Watt Powered 2-way system featuring Crown Amplification, network control, and full user configurable DSP. The SRX812P can be used as either a monitor or a main system and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	1.738,00
 SRX815 (JBSRX815) 691991001635	JBL SRX Series-SRX815 is a two-way full range speaker with a 15" woofer made for use as a light to medium duty main PA, monitor, or rear or side fill. Premium utility hardware makes SRX815 an ideal solution for sound reinforcement. Tunings for Crown amps and dbx processors are available at jblpro.com	1.427,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>SRX815P/230 (JBSRX815P-230)</p>	JBL SRX Series-2000 Watt Powered 2-way system featuring Crown Amplification, network control, and full user configurable DSP. The SRX815P can be used as either a monitor or a main system and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	1.900,00
 <p>SRX818S (JBSRX818S) 691991001659</p>	JBL SRX Series-SRX818S is a single 18" subwoofer for concert, touring, or installed use, featuring a standard M20 pole cup for use with top boxes, indexing feet for stacking in both standard and cardioid position, and a 136dB max SPL. Tunings for Crown amps and dbx processors are available at jblpro.com	1.712,00
 <p>SRX818SP/230 (JBSRX818SP-230)</p>	JBL SRX Series-1000 Watt Powered 18" subwoofer featuring Crown Amplification, network control, and full user configurable DSP. The SRX818SP provides extended low frequency for any system, and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	2.139,00
 <p>SRX828S (JBSRX828S) 691991001666</p>	JBL SRX Series-SRX828S is a dual 18" subwoofer for concert, touring, or installed use, featuring a wide stance for splaying top boxes, indexing feet for stacking in both the standard and cardioid position, and a 141dB max SPL. Tunings for Crown amps and dbx processors are available at jblpro.com	2.283,00
 <p>SRX828SP/230 (JBSRX828SP-230)</p>	JBL SRX Series-2000 Watt Powered dual 18" subwoofer featuring Crown Amplification, network control, and full user configurable DSP. The SRX828SP provides extended low frequency for any system, and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	2.674,00
 <p>SRX835 (JBSRX835) 691991001642</p>	JBL SRX Series-SRX835 is a three-way full range speaker with a 15" woofer made for use as a medium duty main PA, or rear or side fill. Premium utility hardware makes SRX835 an ideal solution for sound reinforcement. Tunings for Crown amps and dbx processors are available at jblpro.com	1.877,00
 <p>SRX835P/230 (JBSRX835P-230)</p>	JBL SRX Series-2000 Watt Powered 3-way system featuring Crown Amplification, network control, and full user configurable DSP. The SRX835P can be pole mounted or stacked and splayed atop a subwoofer, and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	2.139,00
 <p>SRX906LA (JBP3230MX) 691991035524</p>	JBL SRX Series-Dual 6.5-inch powered line array speaker, 2-way, 120-degree	2.689,00
 <p>SRX910LA (JBP3234MX) 691991035685</p>	JBL SRX Series-Dual 10-inch powered line array speaker, 2-way, 105-degree	4.349,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 <p>SRX918S (JBP3241MX) 691991035609</p>	JBL SRX Series-Single 18-inch powered subwoofer	2.768,00
 <p>SRX928S (JBP3243MX) 691991035586</p>	JBL SRX Series-Dual 18-inch powered subwoofer	4.744,00
 <p>PRX918XLF (JBPRX918XLF-EK) 691991037078</p>	I diffusori professionali JBL PRX900 montano un amplificatore efficiente in classe D da 2000W di picco (1000W RMS), driver a compressione da 1.5", DSP con equalizzatore parametrico da 12 bande, tecnologia dbx DriveRack con soppressore di feedback, limiter, delay e tecnologia G-Sensor che ottimizza automaticamente il tuning del diffusore in base all'orientamento dello stesso. Tutti i modelli sono dotati di schermo LCD e di abbinamento all'app JBL Pro Connect per il controllo delle funzionalità a bordo e abbinamento con altri sistemi JBL come PRX ONE, EON ONE MK2 e EON700.	1.483,00
 <p>EON712 (JBEON712-EK) 691991035128</p>	La nuova serie EON 700 comprende tre modelli di diffusori full-range 10", 12", 15" e un subwoofer da 18". Monta componenti di assoluto valore tra cui: il woofer ridisegnato per una resa superiore, il compression driver in neodimio ad alte prestazioni 2414H, una guida d'onda ottimizzata e un amplificatore discreto in classe D da 1300W per gli speaker e da 1500W per il subwoofer. La vera innovazione della serie EON700 risiede nella tecnologia a bordo: DSP pro-grade di dbx (DriveRack technology) per il controllo avanzato delle funzioni di equalizzazione (EQ a 8 bande), limiter, delay, automatic feedback suppression, ducking e molto altro. Il tutto controllabile tramite LCD a colori posto sul retro dei diffusori oppure con App JBL Pro Connect (iOS/Android). I diffusori full-range sono dotati di Bluetooth 5.0 per lo streaming e controllo del DSP. La serie EON700 può essere utilizzata come main PA oppure monitor da palco. Gli speaker full-range sono dotati di punti di sospensione	629,00
 <p>EON710 (JBEON710-EK) 691991035173</p>	La nuova serie EON 700 comprende tre modelli di diffusori full-range 10", 12", 15" e un subwoofer da 18". Monta componenti di assoluto valore tra cui: il woofer ridisegnato per una resa superiore, il compression driver in neodimio ad alte prestazioni 2414H, una guida d'onda ottimizzata e un amplificatore discreto in classe D da 1300W per gli speaker e da 1500W per il subwoofer. La vera innovazione della serie EON700 risiede nella tecnologia a bordo: DSP pro-grade di dbx (DriveRack technology) per il controllo avanzato delle funzioni di equalizzazione (EQ a 8 bande), limiter, delay, automatic feedback suppression, ducking e molto altro. Il tutto controllabile tramite LCD a colori posto sul retro dei diffusori oppure con App JBL Pro Connect (iOS/Android). I diffusori full-range sono dotati di Bluetooth 5.0 per lo streaming e controllo del DSP. La serie EON700 può essere utilizzata come main PA oppure monitor da palco. Gli speaker full-range sono dotati di punti di sospensione	615,00

Tour Sound








Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 VRX915M (JBVRX915M)	JBL VRX Series-15" two-way dedicated floor monitor system with an 800 watt 2265H Differential Drive® LF; 2452H, 4" voice coil compression driver, 50 x 90 waveguide; passive or bi-amplified operation; compact 30° symmetrical wedge enclosure; Black DuraFlex™ finish; heavy duty 16 gauge foam backed steel grille.	2.242,00
 VRX915S (JBVRX915S)	JBL VRX Series-15" Bass Reflex Subwoofer	1.686,00
 VRX915S-WH (JBVRX915S-WH)	JBL VRX Series-15" Bass Reflex Subwoofer - white	1.686,00
 VRX918S (JBVRX918S)	JBL VRX Series-18" compact, flying subwoofer; 2268H Differential Drive® LF; integral flying hardware compatible with VRX932LA-1 and accessories; handles and pole mount deleted. White DuraFlex™ finish.	1.827,00
 VRX918SP (JBVRX918SP-230) 691991015700	JBL VRX Series-Powered 18" flying subwoofer; 2268H Differential Drive® LF, Crown DPC-2 Amplifier Module with system DSP; Integral Rigging Hardware Compatible with VRX932LAP; Top Mounted M20 Threaded Pole Socket; Black DuraFlex™ finish.	2.611,00
 VRX918S-WH (JBVRX918S-WH)	JBL VRX Series-18" Compact, Flying Subwoofer; 2268H Differential Drive® LF; Integral Flying Hardware Compatible with VRX932LA and Accessories; Designed for Fixed Installations with JBL's White Duraflex™; No Pole Mount or Handles Included.	1.827,00
 VTX A12 VT (JBVTXA12VT) 691991032783	JBL VTX Series-Vertical Transport Cart for the 4 VTX A12 enclosures	2.503,00
 VTX-F12 (JBVTX-F12) 691991012907	JBL VTX Series-VTX F Series F12 2-Way Fill Enclosure featuring patented D2 compression driver technology and Differential Drive® LF cone transducer. Includes: (1x) D2430K D2 compression driver mounted on 90x50 degree Progressive Transition waveguide; (1x) 2262H dual 3-inch voice coil, dual magnet 12" transducer. Integral pole mount socket and M10 mount points. Weight 18.6 kg (41 lb). Black.	1.842,00
 VTX-F15 (JBVTX-F15) 691991012914	JBL VTX Series-VTX F Series F15 2-Way Fill Enclosure featuring patented D2 compression driver technology and Differential Drive® LF cone transducer. Includes: (1x) D2430K D2 compression driver mounted on 90x50 degree Progressive Transition waveguide; (1x) 2265H dual 3-inch voice coil, dual magnet 15" transducer. Integral pole mount socket and M10 mount points. Weight 22.9 kg (50.5 lb). Black.	2.234,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa









Modello	Descrizione	Prezzo al Pubblico
 <p>VTX-F18S (JBVTX-F18S) 691991012921</p>	<p>JBL VTX Series-VTX F Series F18S Compact Subwoofer Enclosure featuring ultra long throw, patented Differential Drive® LF transducer configured in a front-loaded alignment with large area, laminar-flow, low-turbulence ports. Includes: (1x) 2269H dual 4-inch voice coil, dual magnet 18" transducer; front NL4 connector for use when F18S enclosures are configured in rear-firing mode to create reverse-cardioid subwoofer arrays. Compact rectangular form factor. Weight 45.4 kg (100 lb). Black.</p>	3.052,00
 <p>VTX-M20 (JBVTX-M20) 691991012952</p>	<p>JBL VTX Series-VTX M Series is JBL's latest in premium stage monitoring products designed for the most demanding, highest output stage monitoring applications, including high profile concerts, broadcast events or fixed installations. The line is comprised of the dual-10" VTX M20 and the dual-12" VTX M22 both featuring neodymium Differential Drive woofers making the two products some of the lightest monitors in their class. The high frequency section features a unique newly developed, diamond shaped waveguide that is based on JBL's Image Control technology - a technology originally developed for the M2 Master Reference studio monitor. The new waveguide coupled with a D2 Dual Diaphragm high frequency delivers a symmetrical 60H x 60V coverage pattern that is spatially consistent, allowing M-Series to reach excellent gain before feedback performance. Both the M20 and M22 can be configured to operate in Single Channel or Dual Channel (Bi-Amp) modes via the easily accessible mode selection switches.</p>	3.713,00
 <p>VTX-M22 (JBVTX-M22) 691991012969</p>	<p>JBL VTX Series-VTX M Series is JBL's latest in premium stage monitoring products designed for the most demanding, highest output stage monitoring applications, including high profile concerts, broadcast events or fixed installations. The line is comprised of the dual-10" VTX M20 and the dual-12" VTX M22 both featuring neodymium Differential Drive woofers making the two products some of the lightest monitors in their class. The high frequency section features a unique newly developed, diamond shaped waveguide that is based on JBL's Image Control technology - a technology originally developed for the M2 Master Reference studio monitor. The new waveguide coupled with a D2 Dual Diaphragm high frequency delivers a symmetrical 60H x 60V coverage pattern that is spatially consistent, allowing M-Series to reach excellent gain before feedback performance. Both the M20 and M22 can be configured to operate in Single Channel or Dual Channel (Bi-Amp) modes via the easily accessible mode selection switches.</p>	4.526,00
 <p>VTX-S25 (JBVTX-S25) 691991012976</p>	<p>JBL VTX Series-VTX Series S25 Suspendable Dual 15" Subwoofer. Companion subwoofer for VTX V20 featuring ultra long throw, patented Differential Drive® LF transducers configured in a front-loaded alignment with large area, laminar-flow, low-turbulence central ports. Includes: (2x) 2267H dual 4-inch voice coil, dual magnet 15" transducers; captive suspension hardware; front NL4 connector for use when S25 enclosures are configured in rear-firing mode to create reverse-cardioid subwoofer arrays. Rectangular form factor facilitates cardioid configurations (ground stacked or suspended). Transportation and handling accessories supplied separately. Weight 65 kg (143 lb). Black.</p>	8.644,00
 <p>VTX-S28 (JBVTX-S28) 691991013003</p>	<p>JBL VTX Series-VTX Series S28 Suspendable Dual 18" Subwoofer featuring ultra long throw, patented Differential Drive® VLF transducers configured in a front-loaded alignment with large area, laminar-flow, low-turbulence central port. Includes: (2x) 2269H dual 4-inch voice coil, dual magnet 18" transducers; captive suspension hardware; front NL4 connector for use when S28 enclosures are configured in rear-firing mode to create reverse-cardioid subwoofer arrays. Trapezoidal form factor facilitates tightly-packed cardioid configurations (ground stacked or suspended). Transportation and handling accessories supplied separately. Weight 81.6 kg (180 lb). Black.</p>	10.170,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa


Modello	Descrizione	Prezzo al Pubblico
---------	-------------	--------------------

Moduli line array

	VRX928LA (JBVRX928LA)	JBL VRX Series-8" two-way line-array system with 1 x 2168H-1 Differential Drive® 400 W LF; 2 x 2414H 1 inch compression driver HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. Black DuraFlex™ finish.	1.936,00
	VRX928LA-WH (JBVRX928LA-WH)	JBL VRX Series-8" Two-Way Line-Array System with 1 x 2168H-1 Differential Drive® 400W LF; 2 x 2414H 1 inch Compression Driver HF on Constant Curvature Waveguide; Dual Angle Pole Socket and Integral Rigging Hardware; Passive or Bi-Amplified Operation. White DuraFlex™ Finish.	1.936,00
	VRX932LA-1 (JBVRX932LA-1)	JBL VRX Series-12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. Black DuraFlex™ finish.	3.003,00
	VRX932LA-1WH (JBVRX932LA-1WH) 691991003776	JBL VRX Series-12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. White DuraFlex™ finish.	3.003,00
	VRX932LAP (JBVRX932LAP-230)	JBL VRX Series-Powered 12" two-way line-array system with 1 x 2262H Differential Drive® LF, 3 x 2408J HF on Constant Curvature waveguide; Crown DPC-2 amplifier module with system DSP; dual angle pole socket and integral rigging hardware; black DuraFlex™ finish.	3.733,00
	VTX A12 (JBVTXA12) 691991032776	JBL VTX Series-Compact Dual 12" Line Array Element	15.254,00
	VTX A6 (JBP3250MX) 691991035876	JBL VTX Series-SUBCOMPACT DUAL 6.5-INCH LINE ARRAY ELEMENT	4.067,00
	VTX A8 (JBVTXA8) 691991015618	JBL VTX Series-Dual 8" Compact Line Array Loudspeaker With 110° Dispersion	6.865,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa



Modello	Descrizione	Prezzo al Pubblico
 VTX-V20 (JBVTX-V20) 691991013034	JBL VTX Series-VTX V Series V20 Midsize 3-Way Line Array Element featuring patented D2 dual diaphragm dual driver technology, Differential Drive® LF transducers and ultra linear MF transducers. Includes: (3x) D2415K D2 compression drivers; (2x) 2261H dual 3-inch voice coil, dual magnet 10" transducers; (4x) 2164H 4" midrange transducers. Includes captive suspension hardware. Transportation and handling accessories supplied separately. Weight 40 kg (88 lb). Black.	11.898,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
---------	-------------	--------------------

Mixer

	NCSM14-U-EU (JBNCM14-U-EU) 8710150086466	JBL Commercial Mixer-4 Input - 1 Output Mixer, Fanless, 1U Half-Rack, Mounting kit included (EU Version)	503,00
	NCSM28-U-EU (JBNCM28-U-EU) 8710150085780	JBL Commercial Mixer-8 Input - 2 Output Mixer, Fanless, 1U Full-Rack, Mounting kit included (EU Version)	724,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
---------	-------------	--------------------

Processori di segnale

Processori DSP



CPI2000
(JBCPI2000)
691991015694

JBL Cinema JBL Cinema-Professional-Grade Cinema Processor. Features DSP processing, room EQ tuning, volume control and system fault detection and can be configured through a tailor-designed GUI software

2.681,00

Monitor controller



INTONATO 24
(JBINTONATO24FX)
691991006197

JBL Intonato-JBL Intonato 24 Monitor Management Tuning System. Ideal for use with JBL M2, 7 Series studio monitors. Provides automated calibration and control of stereo, surround and immersive audio monitoring systems. 24 speaker outputs, 24 analog and digital inputs. Flexible routing and monitoring configurations, store and recall of custom user profiles. 2-U rack mount ready. Calibration microphone included. Comprehensive control via supplied Macintosh Windows, and tablet software. Optional Intonato Desk Top Controller.

3.944,00



INTONATO DC
(JBINTONATO-DC-M)
691991006203

JBL Intonato-Desk Top Controller for use with JBL Intonato 24. Includes Master Volume Control, DIM, Bass Management, and Talk Back controls and individual Speaker Solo and Mute keys. Dual LED displays and dedicated keys allow instant recall of user-created monitoring configurations. Compact desk-top, console-top form factor. Powered over ethernet.

1.052,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
---------	-------------	--------------------

Aste-Stativi-Supporti

Supporti altoparlanti



EON700 YOKE
(JBEON700DYOKE)
691991036897

JBL EON Series-Universal yoke mount

147,00

Stativi



JBLPOLE-GA
(JBPOLE-GA)

JBL Accessories-JBL speaker pole featuring gas assist adjustment from 36" to 53".

186,00



JBLPOLE-MA
(JBPOLE-MA)

JBL Accessories-JBL speaker pole with manual adjustment from 36" to 55".

120,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa








Modello	Descrizione	Prezzo al Pubblico
---------	-------------	--------------------

Accessori

Borse









VTX B18 VT CVR (JBVTXB18VTCVR) 691991013768	JBL VTX Series-VTX B18 Vertical Transporter Cover	1.018,00
---	---	-----------------

Accessori altoparlanti

	229-00009-01 (JB229-00009-01)	JBL Accessories-Set of Three M10 x 35mm Forged Shoulder Steel Eyebolts (priced and ships as a PACK of 3 bolts)	57,00
	2516 (JB2516)	JBL Cinema JBL Cinema-Quick-Mount® Fixed Angle Bracket for 8330A and 8340A. Packed 2 Pieces Per Master Pack.	53,00
	2520 (JBHPD2520) 691991015311	JBL Cinema JBL Cinema-Heavy Duty Steel Adjustable-Position Mounting Bracket for 9300/9310/9350	56,00
	VRX-AF (JBVRX-AF-II) 691991033452	JBL VRX Series-Array Frame for suspending VRX932LA-1/P, VRX918S/P enclosures. Includes 4 x Quick Release Pins, 2 x Shackles, 2 x Drop Levers	1.143,00
	VRX-SMAF (JBVRX-SMAF)	JBL VRX Series-Small Array Frame for suspending VRX928LA and VRX915S arrays. Includes 2 x quick release pins, 2 x shackles, 2 x drop levers..	685,00
	VTX A6 BP (JBP3255MX) 691991035821	JBL VTX Series-VTX A6 Base Plate	509,00
	VTX A6 Case (JBP3256MX) 691991035814	JBL VTX Series-VTX A6 Case	1.611,00









Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 VTX A6 CM (JBP3287MX) 691991037535	JBL VTX Series-VTX A6 CM	324,00
 VTX A6 MF (JBP3253MX) 691991035845	JBL VTX Series-VTX A6 Mini Frame	1.102,00
 VTX A6 SB (JBP3254MX) 691991035838	JBL VTX Series-VTX A6 Suspension Bar	594,00
 VTX A8 AF (JBVTXA8AF) 691991015564	JBL VTX Series-VTX A8 Array Frame	3.153,00
 VTX A8 AF EB (JBVTXA8AFEB) 691991015502	JBL VTX Series-VTX A8 AF Extension Bar	1.883,00
 VTX A8 BP (JBVTXA8BP) 691991015748	JBL VTX Series-VTX A8 Base Plate	916,00
 VTX A8 MF (JBVTXA8MF) 691991013782	JBL VTX Series-VTX A8 Mini Frame	1.324,00
 VTX A8 SB (JBVTXA8SB) 691991015632	JBL VTX Series-VTX A8 Suspension Bar	1.221,00
VTX A8 VT (JBVTXA8VT) 691991013430	JBL VTX Series-Vertical Transport Cart for VTX A8 Enclosures	1.831,00
VTX A8 VT CVR (JBVTXA8VTCVR) 691991013423	JBL VTX Series-Vertical Transport Cart for VTX A8 Enclosures Cover	1.018,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
VTX B18 ACC (JBVTXB18ACC) 691991013447	JBL VTX Series-VTX B18 Accessory Kit	1.068,00
VTX B1 GND (JBP3258MX) 691991035791	JBL VTX Series-VTX B1 GND	220,00
 VTX B28 ACC (JBVTXB28ACC) 691991034268	JBL VTX Series-Accessory Cover & Casterboard for a single VTX B28 (includes both)	1.272,00
 VTX B28 VT (JBVTXB28VT) 691991034282	JBL VTX Series-Vertical Transportation cart for up to 4x VTX B28	2.442,00
 VTX B28 VT CVR (JBVTXB28VTCVR) 691991034305	JBL VTX Series-Soft cover for 3 or 4 VTX B28 subwoofers	1.018,00
 VTX PM (JBP3312MX) 691991038471	JBL SRX Series-Universal 35mm Pole Mount adapter, T-Bar style	133,00
 VTX-V20-AF (JBVTX-V20-AF) 691991013041	JBL VTX Series-VTX V20 ARRAY FRAME for suspending or ground stacking VTX V20 or VTX S25 enclosures. Includes leveling screw jacks; optional extension bar available. Weight 46.3 kg (102 lb). Steel, black.	5.295,00
 VTX-V20-AF-EB (JBVTX-V20-AF-EB) 691991013058	JBL VTX Series-VTX V20 ARRAY FRAME EXTENSION BAR for use with VTX-V20-AF, front- or rear-mounted. Single (central) or dual (side-mounted) extension bars can be used for added stability and tilt adjustment to facilitate ground stacked systems. Weight 22.7 kg (50 lb). Steel, black.	1.544,00

Accessori processori DSP




JBLCSR2SVWHTV-EU
(JBCSR2SVWHTV-EU)
691991015298

JBL Commercial Wall Controllers-Wall Controller with 2-Position Source Selector and Volume Control; US Version (White) For use with CSM-21, CSM-32 (EU Version)

94,00



Sostituisce e annulla i precedenti
Prezzi in Euro I.V.A. esclusa

Modello	Descrizione	Prezzo al Pubblico
 JBLCSR3SVWHTV-EU (JBCSR3SVWHTV-EU) 691991015304	JBL Commercial Wall Controllers-Wall Controller with 3-Position Source Selector and Volume Control; US Version (White) For use with CSM-32 (EU Version)	94,00